



*The First in Synthetics*®

**DEALER AND PREFERRED CUSTOMER  
WHOLESALE PRICE LIST  
AUTOMOTIVE AND LUBRICATING PRODUCTS  
(UNITED STATES ONLY)**

**PRICING EFFECTIVE NOVEMBER 1, 2006**



**PRODUCT INDEX**

Ordering Information . . . .p. 2  
Product Lookup by Code .p. 2  
Motor Oils . . . . .p. 3-5  
4-Stroke Oils . . . . .p. 5  
Motorcycle Oils . . . . .p. 5  
Suspension Fluids . . . . .p. 6  
Diesel Oils . . . . .p. 6-7  
Gear Lubes . . . . .p. 7-8  
Transmission Fluids . . . .p. 9-10  
Two-Cycle Oils . . . . .p. 10-11  
Greases . . . . .p. 12-13  
Hydraulic Oils . . . . .p. 13-14  
Compressor Oils . . . . .p. 14  
Air Filters . . . . .p. 15-16  
Filter Wrenches . . . . .p. 16  
Oil Filters . . . . .p. 17  
Motorcycle Filters . . . . .p. 17-18  
Power Sports  
Air Filters . . . . .p. 18  
Power Core Air Filters . . . .p. 18  
By-Pass Filtration Units . .p. 19  
AMS-Oiler Pre-Chargers . .p. 19  
By-Pass Replacement Parts .p. 20  
Oil Analysis . . . . .p. 20  
Fuel Additives . . . . .p. 21  
Cleaners and Protectants . . .p. 22-24  
Sales Tax Information . . . .p. 26-27  
Freight &  
Handling Information . . . . .p. 27-29  
Ordering Instructions . . . .p. 30  
Return & Exchange  
Policies . . . . .p. 31

**The Leader in Automotive & Diesel Performance Products**  
• Synthetic Motor Oils • Synthetic DriveTrain Fluids • Oil & Air Filters  
• Fuel Additives • Appearance Products

**- ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE -**

# Ordering Information

## SIMPLE AND EASY ORDERING PROCEDURE WITH DISCOUNTS WHEN YOU BUY!

There's a simple way to cash in on big savings when you buy AMSOIL Products. Just total up the Dealer Cost of your order, look at the Freight Allowance and Purchase Discount Schedule (shown below) and deduct the percentage shown from the total. It's as simple as that, and it's worth a big savings to you every time you order from AMSOIL.

### How to make ordering easy...and fast!

Use the **orders only** 800-number **(800-777-7094)** and follow these directions:

Call in your order (for pickup or shipment). Tell the AMSOIL Toll-Free Ordering personnel if you are paying with a check if picked up or charging with a Visa/Master/Discover Card if shipping.

All variables (including shipping and handling, sales tax, purchase discounts, etc.) will be determined for you and applied to each order.

Or for direct withdrawal from your checking account, use the Sales Draft Ordering System (contact the Customer Service Department at AMSOIL in Superior for an application, 715-392-7101).

**Orders Only Telephone Number: 1-800-777-7094**

**Hours of Operation: 7 am to 5 pm Central Time**

**Monday through Friday**

**Except for Statutory Holidays**

**Fax Orders to: 715-392-5225 or 715-392-5267**

**Faxes Accepted 24 Hours a Day, 7 Days a Week**

### Online Ordering Information

**To order product online at [www.amsoil.com](http://www.amsoil.com):**

Click on the Dealer Zone link at the top right of the AMSOIL Home Page. Enter your ZO number and your password to enter. If you have not set up a password, click on the "New Registration" link at the bottom of the log-in area. Enter your ZO number and click "Submit" and a link will be emailed to you that allows you to set a password. Once inside the Dealer Zone, you can choose to use the Dealer Orders link which takes you to our EZ Online Order Forms, or choose the Online Store link to browse through products.

### Choosing Your AMSOIL Products

#### AMSOIL ONLINE APPLICATION GUIDE

The AMSOIL Online Product Application Guide is a quick and reliable way to determine which AMSOIL lubricants, filtration products and accessories to purchase for your automotive, heavy duty, motorcycle and powersports applications. Just click on the "Online Product Application Guide" button on the AMSOIL Home Page and enter the information for your application in the fields provided.

#### AMSOIL TECHNICAL SERVICES

The AMSOIL Technical Services Department is available to assist in the selection and application of AMSOIL products. To assist the processing of your inquiry, please have your specific application information ready to relay to the Technical Services staff, and be prepared to answer questions regarding your individual application needs. Telephone the AMSOIL Technical Services Department at 715-392-7101 and ask for the technical services department.

#### ALASKA FREIGHT SURCHARGE:

For purchases made from the Distribution Center in Alaska, add 7.5% to the Dealer Cost for extra freight expenses from the continental U.S. to Alaska.

#### HAWAII ORDERING INFORMATION:

Call 1-800-777-7094. Your order will be shipped from the AMSOIL Distribution Center in Portland, OR. Your order will be shipped freight collect by the best possible method.

## AMSOIL PRODUCT LOOKUP BY CODE

Code	Page	Code	Page
ABC	11	EaA	15
ACB	21	EaAM	17
ACD	7	EaAU	16
ADA	8	EaO	17
ADF	21	EaOM	18
AEF	22	FFC	16
AFF	5	FGO	8
AFL	4	FGR	8
AFO	16	FOG	22
AGL	8	GFW	13
AGM	8	GHB	12
AHF	21	GHD	12
AHR	4	GLA	12
AIT	10	GLB	12
ALS	22	GLC	12
AME	7	GRG	12
AMH	22	GSF	13
AMK	19	GVC	13
AMO	4	GWR	13
AMP	22	GXC	13
AMW	24	HDD	6
ANG	6	HPI	10
ANT	22	MCF	5
AOB	21	MCV	5
APF	22	MTF	9
API	21	MTG	9
AQS	21	PCF	18
ARO	4	PCH	14
ARS	23	PCI	14
ART	9	PCJ	14
ASE	5	PCK	14
ASL	3	PCL	14
AST	21	PCO	7
ATD	10	PFC	23
ATF	9	PFP	23
ATG	20	PFM	23
ATH	13	PSFA	18
ATM	4	SEI	14
ATO	11	SMF	18
ATP	11	STL	6
AWF	14	STM	6
AWG	14	SVG	7
AWH	14	SVO	7
AWI	14	TBI	14
AWJ	14	TCC	11
BHP	23	TDR	10
BMK	19	TRO	3
BP PARTS	20	TSO	3
BSH	23	WCF	5
BT6	24	WCT	5
CTG	10	XLF	3
CTJ	10	XML	3
CTL	10	XLO	3
DEO	6	XLT	3
DFF	21		

### FREIGHT ALLOWANCE AND PURCHASE DISCOUNT SCHEDULE

Total Dealer Cost Of your Order	Deduct This Amount From Your Dealer Cost
\$ 750.00 to \$1,999.99	2%
\$2,000.00 to \$3,499.99	4%
\$3,500.00 to \$4,999.99	6%
\$5,000.00 to \$7,499.99	8%
\$7,500.00 or more	10%

**Worldwide Performance**  
**Specifications:**  
 • API SM/CF, SL . . .  
 • ILSAC GF-4, 3 . . .  
 • ACEA A5/B5



**Series 2000 Synthetic 0W-30 Motor Oil**

Race-Proven technology designed for passenger cars. Outperforms conventional and synthetic 30-weight motor oils. Ideal for hot and cold climates. Superior low temperature flow, fuel efficiency and wear protection. Recommended for all domestic and foreign vehicles requiring either 0W, 5W or 10W-30 motor oils.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SERIES 2000 - SAE 0W-30 Synthetic Motor Oil</b>						
TSO-QT	(1) Quart Bottle	2.1	5.35	7.65	--	9.95
TSO-01	(12) Quart Bottles	24.6	64.20	87.00	7.25	118.20
TSO-1G	(1) Gallon	7.9	20.70	29.55	--	36.55
TSO-04	(4) Gallons	31.7	82.80	112.40	28.10	144.60
TSO-30*	30 Gallon Drum	242.0	408.00	742.00	--	899.00
TSO-55*	55 Gallon Drum	437.0	727.00	1321.00	--	1564.00

**Worldwide Performance**  
**Specifications:**  
 • API SL/CF.  
 • ACEA A2/3, B2/3/4  
 • JASO MB & VTW



**Series 2000 Synthetic 20W-50 Racing Oil**

Engineered for high performance racing or street gasoline engines. Contains particular chemistry for high film strength. Reduces friction and provides up to four times the wear protection of conventional 50-weight motor oils.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SERIES 2000 - SAE 20W-50 Synthetic Racing Oil</b>						
TRO-QT	(1) Quart Bottle	2.1	5.25	7.30	--	9.50
TRO-01	(12) Quart Bottles	25.3	63.00	83.40	6.95	112.80
TRO-1G	(1) Gallon	8.1	20.70	28.90	--	35.75
TRO-04	(4) Gallons	32.4	82.80	110.00	27.50	141.40
TRO-30*	30 Gallon Drum	246.0	398.00	724.00	--	878.00
TRO-55*	55 Gallon Drum	445.0	708.00	1285.00	--	1522.00

**Worldwide Performance**  
**Specifications:**  
 • API SM/CF, SL . . .  
 • ILSAC GF-4, 3 . . .  
 • ACEA A1/B1



**XL Synthetic Motor Oils**

AMSOIL Extended Life Synthetic Motor Oils deliver exceptional protection for 7,500-mile/6-month oil change intervals or longer where stated by vehicle manufacturers or indicated by electronic oil life monitoring systems. They provide "Peace-of-Mind" for owners of modern vehicles where drain intervals exceed conventional oil recommendations of 3,000 miles.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 5W-20 XL Synthetic Motor Oil</b>						
XLM-QT	(1) Quart Bottle	2.0	3.25	4.55	--	6.00
XLM-01	(12) Quart Bottles	24.5	39.00	51.60	4.30	70.80
XLM-1G	(1) Gallon	7.8	12.80	17.85	--	23.70
XLM-04	(4) Gallons	31.3	51.20	68.00	17.00	93.20
XLM-30*	30 Gallon Drum	241.1	283.00	461.00	--	570.00
XLM-55*	55 Gallon Drum	432.6	463.00	809.00	--	971.00
<b>SAE 5W-30 XL Synthetic Motor Oil</b>						
XLF-QT	(1) Quart Bottle	2.0	3.25	4.55	--	6.00
XLF-01	(12) Quart Bottles	24.4	39.00	51.60	4.30	70.80
XLF-1G	(1) Gallon	7.8	12.80	17.85	--	23.70
XLF-04	(4) Gallons	31.4	51.20	68.00	17.00	93.20
XLF-30*	30 Gallon Drum	241.1	283.00	461.00	--	570.00
XLF-55*	55 Gallon Drum	432.1	463.00	809.00	--	971.00
<b>SAE 10W-30 XL Synthetic Motor Oil</b>						
XLT-QT	(1) Quart Bottle	2.0	3.25	4.55	--	6.00
XLT-01	(12) Quart Bottles	24.6	39.00	51.60	4.30	70.80
XLT-1G	(1) Gallon	7.8	12.80	17.85	--	23.70
XLT-04	(4) Gallons	31.4	51.20	68.00	17.00	93.20
XLT-30*	30 Gallon Drum	241.1	283.00	461.00	--	570.00
XLT-55*	55 Gallon Drum	432.4	463.00	809.00	--	971.00
<b>SAE 10W-40 XL Synthetic Motor Oil</b>						
XLO-QT	(1) Quart Bottle	2.0	3.25	4.55	--	6.00
XLO-01	(12) Quart Bottles	24.3	39.00	51.60	4.30	70.80
XLO-30*	30 Gallon Drum	239.0	283.00	461.00	--	570.00
XLO-55*	55 Gallon Drum	429.0	463.00	809.00	--	971.00

**Worldwide Performance**  
**Specifications:**  
 • API SM/CF, SL . . .  
 • ILSAC GF-4, 3 . . .  
 • ACEA A5/B5



**Synthetic Motor Oils**

Engineered to outperform all conventional gasoline engine motor oils. Reduce heat, friction and wear for maximum power, performance and fuel efficiency. Clean engine formula. Resists high temperature break down that forms sludge and varnish. Lasts longer and offers better protection. Ideal for hot and cold climates. Recommended for all gasoline engines.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 5W-30 Synthetic Motor Oil</b>						
ASL-QT	(1) Quart Bottle	2.0	4.05	5.70	--	7.25
ASL-01	(12) Quart Bottles	24.5	48.60	64.80	5.40	85.80
ASL-1G	(1) Gallon	7.6	15.90	22.30	--	28.10
ASL-04	(4) Gallons	31.6	63.60	84.80	21.20	110.80
ASL-30*	30 Gallon Drum	239.0	348.00	580.00	--	697.00
ASL-55*	55 Gallon Drum	431.0	554.00	1007.00	--	1180.00

SYNTHETIC MOTOR OILS

\* Not stocked in all Distribution Centers. Call for availability.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 10W-30 Synthetic Motor Oil</b>						
ATM-QT	(1) Quart Bottle	2.1	4.05	5.70	--	7.25
ATM-01	(12) Quart Bottles	24.7	48.60	64.80	5.40	85.80
ATM-1G	(1) Gallon	7.9	15.70	22.30	--	28.10
ATM-04	(4) Gallons	31.7	62.80	84.80	21.20	110.80
ATM-TP	(1) 2.5 Gallon Bottle	19.5	37.35	53.75	--	67.65
ATM-05	(2) 2.5 Gallon Bottles	39.0	74.70	102.30	51.15	133.30
ATM-30*	30 Gallon Drum	239.0	348.00	580.00	--	697.00
ATM-55*	55 Gallon Drum	432.0	554.00	1007.00	--	1180.00

**Worldwide Performance Applications:**

- API SM/CF
- ACEA C3-04, A3/B3-04, A3/B4-04
- MB 229.31, 229.51
- BMW LL-04
- Porsche
- Volvo
- Saab
- VW 502.00, 505.00, 505.01
- MS-10725

**Synthetic 5W-40 European Engine Oil**

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks. Blended with a broad 5W-40 viscosity rating. Allows for the maximum extended drain intervals recommended while providing superior protection and performance. Recommended for Volkswagen 505.01 applications including Passat, Beetle, Jetta, Touareg, Phaeton, GTI, Golf and Audi A3, A4, A6, A8, S4/RS4, TT and Q7.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic 5W-40 European Engine Oil</b>						
AFL-QT	(1) Quart Bottle	2.1	4.10	5.75	--	7.60
AFL-01	(12) Quart Bottles	25.3	49.20	65.40	5.45	90.00
AFL-30*	30 Gallon Drum	246.0	349.00	579.00	--	703.00
AFL-55*	55 Gallon Drum	445.0	553.00	1004.00	--	1194.00

SYNTHETIC MOTOR OILS

**Performance Specifications:**

- API SL/CF
- JASO MA



**Super Heavy Weight SAE 60 Racing Oil**

High-viscosity oil designed for high horsepower racing engines, typically supercharged and alcohol-burning or nitro fueled, and requiring a high-viscosity oil to resist the thinning effects of fuel dilution. Also ideal for motorcycles where SAE 60 motor oil is required.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 60 Synthetic Heavy Racing Oil</b>						
AHR-QT	(1) Quart Bottle	2.1	5.35	7.45	--	9.50
AHR-01	(12) Quart Bottles	25.0	64.20	84.60	7.05	112.80
AHR-TP*	(1) 2.5 Gallon Bottle	19.9	48.15	69.25	--	83.55
AHR-05*	(2) 2.5 Gallon Bottles	39.7	96.30	131.90	--	165.10

**Performance Specifications:**

- API SL/CF, CI-4+
- JASO VTW, MA
- Motorcycle Compatible



**Synthetic Premium Protection Motor Oils**

Formulated for use in both gasoline and diesel engines. Offer multi-functionality and excellent wear protection. Ideal for applications where the extra protection of a higher viscosity oil is desired. Excellent for motor homes and older vehicles, as well as many types of modern equipment. Also compatible for use in motorcycles.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 10W-40 Synthetic Premium Protection Motor Oil</b>						
AMO-QT	(1) Quart Bottle	2.1	4.05	5.70	--	7.30
AMO-01	(12) Quart Bottles	24.7	48.60	64.80	5.40	86.40
AMO-1G	(1) Gallon	8.0	16.10	22.55	--	28.35
AMO-04	(4) Gallons	31.8	64.40	85.80	21.45	111.80
AMO-TP	(1) 2.5 Gallon Bottle	19.5	37.95	54.95	--	69.15
AMO-05	(2) 2.5 Gallon Bottles	39.0	75.90	104.60	52.30	136.30
AMO-30*	30 Gallon Drum	239.0	354.00	590.00	--	708.00
AMO-55*	55 Gallon Drum	432.0	564.00	1025.00	--	1201.00



**SAE 20W-50 Synthetic Premium Protection Motor Oil**

ARO-QT	(1) Quart Bottle	2.1	4.35	6.10	--	8.05
ARO-01	(12) Quart Bottles	25.1	52.20	69.60	5.80	95.40
ARO-1G	(1) Gallon	8.1	17.30	23.85	--	30.95
ARO-04	(4) Gallons	32.4	69.20	90.80	22.70	122.20
ARO-16*	16 Gallon Keg	132.9	211.00	340.00	--	417.00
ARO-30*	30 Gallon Drum	246.0	393.00	614.00	--	747.00
ARO-55*	55 Gallon Drum	443.0	621.00	1069.00	--	1274.00

\* Not stocked in all Distribution Centers. Call for availability.

**Performance Specifications:**  
 • API SL/CF, SJ, SH, SG  
 • JASO MA/MA2



**Formula 4-Stroke® Power Sports 0W-40**

Specially formulated for four-stroke recreational motors, ATV's and snowmobiles. Reduces wear. Wet clutch compatible. Contains no friction modifiers. Broad viscosity range makes it excellent for use in both hot and cold weather conditions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 0W-40 Formula 4-Stroke Synthetic Motor Oil</b>						
AFF-QT	(1) Quart Bottle	2.0	4.46	6.25	--	8.05
AFF-01	(12) Quart Bottles	24.4	53.50	71.40	5.95	95.40
AFF-30*	30 Gallon Drum	242.0	383.00	638.00	--	765.00
AFF-55*	55 Gallon Drum	434.0	611.00	1114.00	--	1302.00

**Performance Specifications:**  
 • API SL  
 • NMMA - FC-W  
 (10W-30 Certification #FB-30011B)  
 (10W-40 Certification #FB-30010B)



**Formula 4-Stroke® Marine Motor Oils**

Formulated specifically for use in 4-stroke gasoline fueled engines used in marine applications. Offer unsurpassed wear protection, viscosity stability, low volatility and excellent rust protection. NMMA FC-W approved and "Warranty Certified". Recommended for use in 4-stroke outboard motors including Honda, Yamaha, Mercury, Suzuki, Johnson-Evinrude (BRP), Nissan and Tohatsu. Excellent for use in marine inboard engines including Mercury (MerCruiser), OMC, Volvo-Penta, Crusader, Marine Power, GM, Ford and Chrysler. Recommended for use with personal water craft (PWC) including Sea Doo (BRP), Honda, Yamaha and Polaris.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>10W-30 Synthetic Formula 4-Stroke Marine Oil</b>						
WCT-QT	(1) Quart Bottle	2.0	4.45	6.20	--	7.85
WCT-01	(12) Quart Bottles	24.5	53.40	70.80	5.90	93.00
WCT-55*	55 Gallon Drum	432.5	575.00	1041.00	--	1220.00
<b>10W-40 Synthetic Formula 4-Stroke Marine Oil</b>						
WCF-QT	(1) Quart Bottle	2.0	4.75	6.60	--	8.30
WCF-01	(12) Quart Bottles	24.6	57.00	75.00	6.25	98.40
WCF-55*	55 Gallon Drum	433.3	626.00	1132.00	--	1326.00

**Performance Specifications:**  
 • API SL, SJ, SH, SG...  
 (Gasoline)  
 • API CF, CD (Diesel)  
 • JASO MA/MA2  
 (Motorcycle wet clutch)



**Formula 4-Stroke® Synthetic 10W-30/SAE 30 Small Engine Oil**

A commercial grade formulation designed for hot temperature, severe service operation of small engines where routine maintenance is often difficult or infrequent. Recommended for use wherever SAE 10W-30 or SAE 30 oil is specified in gasoline or diesel engines, transmissions, hydraulics, and chain cases requiring the listed specifications. Applications include maintenance equipment, tractors, lawn and garden equipment, generators, compactors, pumps, light towers, welders, log splitters, power washers, cement mixers and trowels, skid-steers, excavators and compressors.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Formula 4-Stroke® 10W-30/SAE 30 Small Engine Oil</b>						
ASE-QT	(1) Quart Bottle	2.0	3.40	4.80	--	6.05
ASE-01	(12) Quart Bottles	24.1	40.80	54.60	4.55	71.40
ASE-30*	30 Gallon Drum	237.0	278.00	462.00	--	556.00
ASE-55*	55 Gallon Drum	425.0	436.00	792.00	--	928.00

**Performance Specifications:**  
 • API SG, SL/CF  
 • JASO MA/MA2  
 • SAE 80W-90  
 • API GL-1



**10W-40 Advanced Synthetic Motorcycle Oil**

For those who demand the best. Advanced multi-functional formula. Fulfills the requirements of both domestic and foreign motorcycles. Recommended for high performance liquid or air-cooled 4-stroke engines and transmissions and both 4- and 2-stroke motorcycles. Wet clutch compatible. Outstanding gear protection. Anti-rust fortified. Recommended for Honda, Kawasaki, Yamaha, Suzuki, BMW, Husqvarna and Victory motorcycles. Not recommended for shaft drive hypoid gears or where an API-GL-4 or GL-5 gear oil is required.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>10W-40 Advanced Synthetic Motorcycle Engine Oil</b>						
MCF-QT	(1) Quart Bottle	2.1	4.70	6.70	--	8.95
MCF-01	(12) Quart Bottles	24.6	56.40	76.20	6.35	106.20
MCF-1G	(1) Gallon	8.0	18.00	25.40	--	33.80
MCF-04	(4) Gallons	31.8	72.00	96.60	24.15	133.60
MCF-30*	30 Gallon Drum	242.1	397.00	661.00	--	829.00
MCF-55*	55 Gallon Drum	434.2	636.00	1155.00	--	1423.00

**Performance Specifications:**  
 • API SG, SL/CF  
 • JASO MA/MA2  
 • SAE 90  
 • API GL-1



**20W-50 Advanced Synthetic Motorcycle Oil**

For those who demand the best. Multi-functional, and fulfills the requirements of both domestic and foreign motorcycles. Excellent performance in air-cooled motorcycle engines due to high heat resistance, anti-wear additives and oxidation resistance. Recommended for engines, transmissions and the primary chaincase. Absolutely shear stable and will not thin out from mechanical activity. Contains special anti-rust agents for superior rust protection, and contains no friction modifiers for excellent wet clutch performance. Recommended for use in Harley-Davidson, Buell, KTM, Ducati, Aprilia, BMW and Triumph motorcycles. Not recommended for shaft drive hypoid gears or where an API-GL-4 or GL-5 gear oil is required.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>20W-50 Advanced Synthetic Motorcycle Engine Oil</b>						
MCV-QT	(1) Quart Bottle	2.1	4.90	6.90	--	9.25
MCV-01	(12) Quart Bottles	24.7	58.80	78.60	6.55	109.80
MCV-1G	(1) Gallon	8.0	18.90	26.50	--	35.25
MCV-04	(4) Gallons	31.9	75.60	100.80	25.20	139.40
MCV-30*	30 Gallon Drum	242.9	413.00	688.00	--	862.00
MCV-55*	55 Gallon Drum	435.3	663.00	1205.00	--	1484.00

\* Not stocked in all Distribution Centers. Call for availability.

SUSPENSION FLUIDS



**Suspension Fluids**

Control friction, heat, wear, foaming and scuffing in suspension components. High viscosity index and shear stability performance control shock fade and inconsistent dampening in temperature extremes.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Shock Therapy Suspension Fluid #5 Light</b>						
STL-QT	(1) Quart Bottle	1.9	5.45	7.55	--	10.25
STL-01	(12) Quart Bottles	23.3	65.40	85.80	7.15	121.80
STL-05	(1) 5 Gallon Pail	37.7	94.50	135.00	--	173.50
<b>Shock Therapy Suspension Fluid #10 Medium</b>						
STM-QT	(1) Quart Bottle	2.1	5.15	7.15	--	9.60
STM-01	(12) Quart Bottles	24.6	61.80	81.60	6.80	114.00
STM-05	(1) 5 Gallon Pail	38.1	90.25	129.00	--	166.00

**Performance Specifications:**

- API CC

**SAE (20W)-40 Synthetic Natural Gas Engine Oil**

Low ash (< 0.5%). Resists oxidation and acids. Last longer. Can be used to safely extend drain intervals with oil analysis. Reduces oil consumption. Reduces valve recession. Flows well in cold temperatures. Low volatility.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE (20W)-40 Synthetic Natural Gas Engine Oil</b>						
ANG-05†	(1) 5 Gallon Pail	39.2	78.25	111.75	--	143.25
ANG-55*†	55 Gallon Drum	433.0	563.00	1023.00	--	1188.00

**Worldwide Performance Applications:**

- API CI-4+/CF/CF-2, SL
- Global DHD-1
- ACEA A3/B3, E3, E5
- JASO DH-1
- Mack
- Detroit Diesel
- Caterpillar
- Cummins
- Volvo
- Diamler-Benz

**Series 3000 Synthetic 5W-30 Heavy-Duty Diesel Oil**

Long service life oil. Engineered for pre-2007 diesel engines in on-road applications as well as all model year diesel engines in off-road applications. Also engineered for all gasoline engines recommending API SL specifications including turbo charged vehicles. Provides superior wear protection and fuel efficiency compared to conventional oils. Premium synthetic oils and additives with 12 TBN chemistry resists oil breakdown from heat, blow-by chemicals, acids and oxygen. Improves cold temperature starting.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SERIES 3000 - SAE 5W-30 Synthetic Heavy Duty Diesel Oil</b>						
HDD-QT	(1) Quart Bottle	2.1	5.45	7.65	--	9.95
HDD-01	(12) Quart Bottles	24.8	65.40	87.00	7.25	118.20
HDD-1G	(1) Gallon	8.0	20.85	29.15	--	36.05
HDD-04	(4) Gallons	32.0	83.40	111.00	27.75	142.60
HDD-TP	(1) 2.5 Gallon Bottle	19.6	47.20	68.60	--	84.40
HDD-05	(2) 2.5 Gallon Bottles	39.2	94.40	130.60	65.30	166.80
HDD-30*	30 Gallon Drum	243.0	402.00	730.00	--	886.00
HDD-55*	55 Gallon Drum	439.0	714.00	1298.00	--	1537.00



SYNTHETIC DIESEL OILS

**Worldwide Performance Applications:**

- API CJ-4/CI-4+/CF
- API SM, SL, SJ...
- ACEA E7
- MACK EO-O Premium Plus
- DDC Power Guard 93K218
- Caterpillar ECF-3, ECF-1
- Cummins CES 20081
- Volvo VDS-4
- MB 228.3
- MTU Type II

**Synthetic 5W-40 Premium Diesel Oil**

The premium choice diesel oil for model year 2007 and newer heavy-duty and pickup truck diesel engines requiring API CJ-4 emission quality oil standards. It delivers extraordinary lubrication in diesel engines found in commercial, fleet and personal vehicles. Contains low sulfated ash, phosphorus and sulfur additives that exceed modern specifications for emission quality diesel oil. It is compatible with all exhaust treatment devices and is designed to extend the service life of particulate filters. Replaces 5W-40, 10W-40 and 15W-40 viscosity oils.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic 5W-40 Premium Diesel Oil</b>						
DEO-QT	(1) Quart Bottle	2.1	4.05	5.70	--	7.45
DEO-01	(12) Quart Bottles	24.6	48.60	64.80	5.40	88.20
DEO-1G	(1) Gallon	8.0	15.70	21.90	--	27.55
DEO-04	(4) Gallons	31.8	62.80	83.40	20.85	108.60
DEO-30*	30 Gallon Drum	243.0	332.00	553.00	--	664.00
DEO-55*	55 Gallon Drum	435.0	527.00	957.00	--	1149.00



\* Not stocked in all Distribution Centers. Call for availability.

† Not recommended for conventional gasoline motors.

- Worldwide Performance Applications:**
- API CI-4+/CF/CF-2, SL
  - Global DHD-1
  - ACEA A3/B3, E3, E5
  - JASO DH-1
  - Mack
  - Detroit Diesel
  - Caterpillar
  - Cummins
  - Volvo
  - Daimler-Benz



**Synthetic 15W-40 Heavy Duty Diesel Oils**

Engineered for pre-2007 diesel engines in on-road applications as well as all model year diesel engines in off-road applications. High 12 TBN controls acids from combustion blow-by and EGR. High levels of detergency and dispersancy additives control soot thickening, oxidation and wear. Resists bore polishing, deposit formation and ring sticking. Provides clean engine performance. Extended drain capabilities reduce downtime and motor oil expenses.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 15W-40 Synthetic Heavy-Duty Diesel and Marine Motor Oil</b>						
AME-QT	(1) Quart Bottle	2.1	3.25	5.15	--	6.80
AME-01	(12) Quart Bottles	24.9	39.00	58.80	4.90	80.40
AME-1G	(1) Gallon	8.0	13.20	19.80	--	25.70
AME-04	(4) Gallons	32.0	52.80	75.40	18.85	101.20
AME-TP	(1) 2.5 Gallon Bottle	19.6	31.40	47.10	--	61.25
AME-05	(2) 2.5 Gallon Bottles	39.1	62.80	89.70	44.85	120.50
AME-30*	30 Gallon Drum	244.0	304.00	505.00	--	629.00
AME-55*	55 Gallon Drum	441.0	440.00	861.00	--	1072.00

**SAE 15W-40 Synthetic Blend Diesel Oil**

PCO-QT	(1) Quart Bottle	2.1	2.95	4.55	--	5.85
PCO-01	(12) Quart Bottles	24.9	35.40	51.60	4.30	69.00
PCO-1G	(1) Gallon	8.0	11.65	17.10	--	21.25
PCO-04	(4) Gallons	32.0	46.60	65.00	16.25	83.40
PCO-TP	(1) 2.5 Gallon Bottle	19.6	29.25	42.00	--	51.15
PCO-05	(2) 2.5 Gallon Bottles	39.1	58.50	80.00	40.00	100.30
PCO-30*	30 Gallon Drum	244.0	266.00	445.00	--	549.00
PCO-55*	55 Gallon Drum	441.0	377.00	748.00	--	921.00

- Worldwide Performance Specifications:**
- API CI-4+/CF/CF-2, SL
  - Global DHD-1
  - ACEA A3/B3, E3, E5
  - JASO DH-1
  - Mack
  - Detroit Diesel
  - Caterpillar
  - Cummins
  - Volvo
  - Daimler-Benz



**Synthetic SAE 10W-30/SAE 30 Heavy Duty Diesel Oil**

Exceeds both 10W-30 multi-grade and SAE 30 straight-grade viscosity requirements. Provides outstanding performance in pre-2007 diesel engines in on-road applications, as well as all model year diesel engines in off-road applications. Also recommended for gasoline engines requiring API SL or previous specifications. Excellent for heavy equipment and personal vehicles.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SAE 10W-30/SAE 30 Synthetic Diesel Oil</b>						
ACD-1G	(1) Gallon	8.1	14.60	20.45	--	26.15
ACD-04	(4) Gallons	32.4	58.40	77.80	19.45	103.00
ACD-30*	30 Gallon Drum	244.0	318.00	521.00	--	655.00
ACD-55*	55 Gallon Drum	441.0	492.00	892.00	--	1074.00

- Performance Specifications:**
- API GL-5/MT-1
  - MIL-PRF-2105E
  - GO-J
  - Dana SHAES 234 (Eaton PS-037)



**SEVERE GEAR Synthetic EP Lubricants**

Specifically engineered for high demand applications, including trailer towing, heavy hauling, 4X4 off road driving, commercial use and racing. Superior lube "film strength" combined with extra additives protects gears and bearings from scoring and wear. Resists high heat and possess excellent cold flow properties. Outperforms all conventional gear oils. Recommended for all types of vehicles such as turbo diesel pick-ups, SUV's, autos, trucks, heavy equipment and motor homes. Compatible with most limited-slip differentials.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SEVERE GEAR 75W-90</b>						
SVG-QT	(1) Quart Bottle	2.0	6.30	8.80	--	11.20
SVG-01	(12) Quart Bottles	24.5	75.60	100.20	8.35	133.20
SVG-05	(1) 5 Gallon Pail	38.8	107.00	152.75	--	201.90
SVG-16*	16 Gallon Keg	131.0	291.00	481.00	--	604.00
SVG-30*	30 Gallon Drum	241.0	458.00	830.00	--	1022.00
SVG-55*	55 Gallon Drum	432.0	776.00	1463.00	--	1786.00
<b>SEVERE GEAR 75W-140</b>						
SVO-QT	(1) Quart Bottle	2.1	7.70	10.80	--	13.75
SVO-01	(12) Quart Bottles	24.7	92.40	123.00	10.25	163.80
SVO-05	(1) 5 Gallon Pail	39.2	136.10	190.25	--	249.20
SVO-16*	16 Gallon Keg	132.0	359.00	593.00	--	745.00
SVO-30*	30 Gallon Drum	244.0	567.00	1029.00	--	1246.00
SVO-55*	55 Gallon Drum	437.0	945.00	1815.00	--	2198.00

SYNTHETIC DIESEL OILS

SYNTHETIC GEAR LUBRICANTS

\* Not stocked in all Distribution Centers. Call for availability.

SYNTHETIC GEAR LUBRICANTS

- Performance Specifications:**
- API GL-5/MT-1
  - MIL-PRF-2105E
  - GO-J+
  - Dana SHAES 256 (Eaton PS-163)



**Long Life Synthetic Gear Lubes**

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment. Provides long life in passenger cars and trucks. Protects against wear and improves equipment life. Excellent "All Season" summer and winter performance. Outperforms all conventional gear oils. Compatible with most limited-slip differentials.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>75W-90 Long Life Synthetic Gear Lube</b>						
FGR-QT	(1) Quart Bottle	2.1	5.00	7.00	--	9.20
FGR-01	(12) Quart Bottles	25.0	60.00	79.80	6.65	109.20
FGR-1G	(1) Gallon	8.1	19.35	27.10	--	35.55
FGR-04	(4) Gallons	32.3	77.40	103.20	25.80	140.60
FGR-05	(1) 5 Gallon Pail	39.7	91.50	124.60	--	169.50
FGR-16*	16 Gallon Keg	131.0	251.00	382.00	--	494.00
FGR-30*	30 Gallon Drum	241.0	398.00	663.00	--	830.00
FGR-55*	55 Gallon Drum	432.0	635.00	1154.00	--	1432.00
<b>80W-140 Long Life Synthetic Gear Lube</b>						
FGO-05	(1) 5 Gallon Pail	40.0	88.50	123.50	--	168.20
FGO-16*	16 Gallon Keg	135.0	246.00	378.00	--	491.00
FGO-30*	30 Gallon Drum	249.0	396.00	659.00	--	825.00
FGO-55*	55 Gallon Drum	446.0	629.00	1143.00	--	1418.00

- Performance Specifications:**
- API GL-5/MT-1
  - MIL-PRF-2105E
  - GO-J
  - Dana SHAES 234 (Eaton PS-037)



**Synthetic 80W-90 Gear Lube**

High quality replacement for applications specifying SAE 80W-90 conventional gear lube. Synthetic construction provides improved cold flow properties, high viscosity index and heat resistance. Contains an over treat of high quality additives, exceeding the minimum standards. Provides excellent wear protection and long equipment life.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>80W-90 Synthetic Gear Lube</b>						
AGL-QT	(1) Quart Bottle	2.1	4.45	6.20	--	8.15
AGL-01	(12) Quart Bottles	25.2	53.40	70.80	5.90	96.60
AGL-1G	(1) Gallon	8.1	16.85	23.60	--	30.80
AGL-04	(4) Gallons	32.4	67.40	89.80	22.45	121.60
AGL-05	(1) 5 Gallon Pail	39.8	76.80	109.60	--	148.20
AGL-16*	16 Gallon Keg	133.9	225.00	345.00	--	432.00
AGL-30*	30 Gallon Drum	244.0	357.00	595.00	--	746.00
AGL-55*	55 Gallon Drum	441.0	566.00	1029.00	--	1288.00

- Worldwide Performance Specifications:**
- API GL-4, GL-5
  - SAE 75W/80W-90



**Universal Synthetic Marine Gear Lube**

Provides true marine gear performance. Contains a stable extreme pressure additive package that provides superior protection from shock loading. Resists foam and retains extreme pressure qualities even when subjected to 10 percent water contamination. For use in outboard lower units, sterndrives, V-drives, bow and tunnel thrusters and marine transmissions requiring an SAE 75W-90 or 80W-90 lube meeting either GL-4 or GL-5 performance standards. Excellent for use in ATV applications.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Universal Synthetic Marine Gear Lube</b>						
AGM-TB	(1) 13-oz. Tube	1.2	3.55	4.95	--	6.50
AGM-06	(6) 13-oz. Tubes	7.4	21.30	28.20	4.70	38.40
AGM-QT	(1) Quart Bottle	2.1	4.45	6.20	--	8.15
AGM-01	(12) Quart Bottles	25.2	53.40	70.80	5.90	96.60
AGM-05	(1) 5 Gallon Pail	39.8	76.00	108.50	--	142.00
AGM-16*	16 Gallon Keg	133.9	221.00	339.00	--	427.00
AGM-30*	30 Gallon Drum	244.0	363.00	604.00	--	760.00
AGM-55*	55 Gallon Drum	441.0	579.00	1051.00	--	1264.00



**Slip-Lock Differential Additive**

Formulated with advanced friction modifiers. Designed to eliminate gear-housing chatter in cars, trucks and SUV's equipped with limited-slip, positraction and locking differentials. Formulated for use with both synthetic and petroleum gear lubricants and safely replaces manufacturer-recommended friction modifiers.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Slip Lock Differential Additive</b>						
ADA-BA	(1) 4-oz. Bottle	0.3	4.10	5.50	--	7.20
ADA-12	(12) 4-oz. Bottles	3.9	49.20	62.40	5.20	85.20



**Oil Fill Hand Pump**

Specifically designed to fit AMSOIL quart, gallon and Twin Pack bottles. Guarantees efficient, quick dispensing of AMSOIL gear oils, transmission fluids and any oil that may need to be pumped. Great for fluid fills in differentials, transmissions, transaxles, boat lower units and boat sterndrives.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Oil Fill Hand Pump</b>						
G-2039	(1) Hand Pump	1.0	--	9.95	--	11.10

\* Not stocked in all Distribution Centers. Call for availability.

- Performance Specifications Include:**
- GM Dexron® II & III
  - Ford Mercon® & Mercon® V
  - Chrysler ATF+ thru ATF+4®
  - Honda Z-1 (not CVT Transmission)
  - Toyota Type T & T-IV
  - Mitsubishi/Hyundai Diamond SP-II & III
  - Allison C-3, C-4
  - Caterpillar TO-2
  - Voith G607 & G1363
  - ZF TE-ML 14A, B & C
  - MB 236.1, 236.2, 236.6, 236.7, 236.9
  - BMW 7045E
  - JWS 3309
  - ESSO LT 71141
  - Nissan Matic D
  - Vickers I 286S & M 2950S



**Synthetic Universal Transmission Fluid**

Recommended for most automatic transmissions. Eliminates confusion, mis-applications and lowers inventory requirements. Delivers maximum protection and is excellent in demanding environments such as towing, hauling or commercial use. Lasts longer than conventional oil for extended drain intervals. Saves time and costly maintenance expenses. Superior hot and cold weather performance. Improves efficiency and typically reduces operating temperatures by as much as 50°F.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Universal Automatic Transmission Fluid</b>						
ATF-QT	(1) Quart Bottle	2.0	4.90	6.85	--	9.05
ATF-01	(12) Quart Bottles	24.4	58.80	78.00	6.50	107.40
ATF-TP	(1) 2.5 Gallon Bottle	19.3	47.45	64.35	--	85.00
ATF-05	(2) 2.5 Gallon Bottles	38.5	94.90	122.50	61.25	168.00
ATF-16*	16 Gallon Keg	129.5	244.00	377.00	--	487.00
ATF-30*	30 Gallon Drum	234.0	393.00	644.00	--	799.00
ATF-55*	55 Gallon Drum	423.0	619.00	1125.00	--	1396.00

**Synthetic Synchronmesh Transmission Fluid 5W-30**

Specifically designed for manual transmissions and transaxles with synchronmesh systems that require light viscosity, non-extreme pressure fortified oil. Formulated with advanced additive technology to provide proper friction characteristics for smooth shifting without grinding or bump shifting while providing the ultimate in gear and bearing protection. Outperforms motor oils in manual transmissions and is the recommended replacement for AMSOIL Series 3000 Synthetic 5W-30 Heavy-Duty Diesel Oil (HDD) in transmission applications. Protects at extreme temperatures from -40°F to 300°F. Possesses outstanding anti-wear and anti-foam properties and is non-corrosive to yellow metals.

- Recommended for use in or as a replacement for the following:**
- New Venture NV T350, NV1500, NV2550, NV3500, NV3550 & NV5600
  - Tremec T4, T5, T18, T176, TK0500, TK0600, TR3550 (GM Vehicles) & TR3450
  - Honda Genuine MTF
  - GM Part #12345349, #12345577, #12377916 & #1052931
  - Chrysler Part #4874464 & #4874465
  - GM Specs #9985648, #9986105 & #9985535
  - Chrysler Specs MS-9224 & MS-9417
  - Replaces MTF-94 & Texaco MTX Fluids

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Synchronmesh Transmission Fluid 5W-30</b>						
MTF-QT	(1) Quart Bottle	2.1	4.95	6.85	--	8.60
MTF-01	(12) Quart Bottles	24.7	59.40	78.00	6.50	102.00
MTF-05	(1) 5 Gallon Pail	39.2	84.60	120.60	--	157.00
MTF-55*	55 Gallon Drum	435.9	649.00	1180.00	--	1384.00

**Synthetic Manual Transmission and Transaxle Gear Lube 75W-90 GL-4**

Designed to meet the requirements of certain manual transmissions and transaxles. Provides improved internal component protection. Formulated with extreme pressure additives and advanced synchronmesh qualities that provide smooth shifts while protecting bearings, gears and seals. Non-corrosive to yellow metals.

- Recommended for use in or as a replacement for the following:**
- API GL-4 / MT-1, ZF TE-ML 02B, 16A, 17A, 19A and MAN 341 ML
  - Synchronized manual transmissions and transaxles that require: 75W-85, 75W-90 or 80W-90 API GL-4 Gear Lube
  - NV 4500 Transmissions
  - Replaces GM Part #12346190
  - Replaces Chrysler Part #4874459
  - Replaces Chrysler Spec MS-9070
  - Certain Acura, Hyundai, Infiniti, Kia, Land Rover, Lexus, Mazda, Mitsubishi-Fuso and Zetor models requiring GL-4
  - Ideal for muscle car transmissions including Muncie, Borg-Warner, Saginaw, Ford Toploader, Dearborn and New Process
  - Tremec TR3550 (Chrysler vehicles) and T56 (Dodge SRT-10 truck and Dodge Viper) • Gear Vendors Gear Splitters

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Manual Transmission and Transaxle Gear Lube</b>						
MTG-QT	(1) Quart Bottle	2.0	5.65	7.90	--	9.90
MTG-01	(12) Quart Bottles	24.6	67.80	90.00	7.50	117.60
MTG-05	(1) 5 Gallon Pail	38.9	99.70	141.90	--	184.80
MTG-55*	55 Gallon Drum	433.3	783.00	1422.00	--	1667.00

**Synthetic Supershift Racing Transmission Fluid SAE 10W**

Delivers outstanding performance in high performance, high horsepower vehicles. Formulated without friction modifiers and viscosity improvers for positive clutch pack engagement and stable viscosity. Formulated to prevent slippage and lower heat compared to conventional transmission fluids. Superb high temperature resistance controls oxidation and varnish. Resists wear, lasts longer and improves transmission life. Recommended for racing and street performance automatic transmissions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Supershift Racing Transmission Fluid SAE 10W</b>						
ART-QT	(1) Quart Bottle	2.0	5.00	7.00	--	9.10
ART-01	(12) Quart Bottles	24.3	60.00	79.80	6.65	108.00

- Performance Specifications Include:**
- Allison C-4
  - Ford Type F



TRANSMISSION FLUIDS

\* Not stocked in all Distribution Centers. Call for availability.

TRANSMISSION FLUIDS

- Recommended for use in Applications specifying:**
- Allison® TES-295 or C-4
  - Dexron® III
  - Mercon®
  - TE-ML 14C
  - VOITH G-1363



**Torque-Drive Synthetic Automatic Transmission Fluid**

Engineered specifically for the Allison TES-295 transmission fluid specification. Replaces Allison/Castrol Transynd® fluid. Excellent protection in temperature extremes. Ensures consistent, smooth clutch engagement over the life of the fluid and controls clutch glazing and elongated shift times. Recommended for extended drain intervals set by Allison.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
ATD-1G	(1) Gallon Bottle	7.8	20.25	28.25	--	38.20
ATD-04	(4) Gallon Bottles	31.2	81.00	107.80	--	151.20
ATD-TP	(1) 2.5 Gallon Bottle	19.2	46.00	68.95	--	93.05
ATD-05	(2) 2.5 Gallon Bottles	38.2	92.00	131.30	--	184.10
ATD-16*	16 Gallon Keg	128.8	267.00	409.00	--	533.00
ATD-30*	30 Gallon Drum	237.5	442.00	736.00	--	944.00
ATD-55*	55 Gallon Drum	425.7	712.00	1293.00	--	1657.00
ATD-27*	275 Gallon Tote	2053.5	3208.00	6415.00	--	8285.00

- Recommended for use in: SAE 10W**
- CAT TO-4
  - Allison C-4
  - Komatsu TO-10
  - API GL-1

- SAE 30**
- CAT TO-4 & TO-4M
  - Allison C-4
  - Komatsu TO-30
  - API GL-1

- SAE 50**
- CAT TO-4
  - Allison C-4
  - CD-50
  - Komatsu TO-50
  - API GL-1

**Synthetic Powershift Transmission Fluids**

Specifically formulated for heavy-duty powershift transmissions. Provide outstanding friction performance for enhanced clutch engagement. Formulated to prevent slippage and glazing. Shear stable and anti-wear fortified. Protect gears and bearings. Resist high temperature oxidation, varnish and sludge formation. Superb cold flow properties. Extended drain interval capable. Recommended for heavy-duty service found in commercial and earth moving applications as well as lighter duty transmissions requiring the listed specifications. SAE 30 & 50 are also excellent for manual transmissions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Powershift Transmission Fluid SAE 10W</b>						
CTG-05	(1) 5 Gallon Pail	38.6	78.50	112.00	--	152.00
CTG-55*	55 Gallon Drum	430.0	622.00	1063.00	--	1256.00
<b>Synthetic Powershift Transmission Fluid SAE 30</b>						
CTJ-05	(1) 5 Gallon Pail	39.2	80.00	114.25	--	154.75
CTJ-55*	55 Gallon Drum	436.0	648.00	1089.00	--	1287.00
<b>Synthetic Powershift Transmission Fluid SAE 50</b>						
CTL-05	(1) 5 Gallon Pail	39.8	84.25	120.25	--	162.75
CTL-55*	55 Gallon Drum	440.0	682.00	1155.00	--	1364.00

**Synthetic Two-Cycle Oils**

Engineered for maximum performance in specific applications, yet recommended for use in multiple applications. Contain application specific additives designed to prevent carbon build-up, ring sticking, plug fouling and varnish formation. Provide excellent lubricity to prevent wear and piston scuffing.

TWO-CYCLE OILS

- Performance Specifications:**
- TC-W3
  - API TC
  - (Injection or 50:1 pre-mix)



**HP Injector™**

Excellent for all outboard motors with a performance emphasis on modern direct fuel injected (DFI) technology. Also recommended for personal watercraft, jet boats, motorcycles, snowmobiles and ATVs. Injector use or 50:1 premix.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>HP Injector Oil</b>						
HPI-QT	(1) Quart Bottle	2.0	3.15	5.25	--	6.95
HPI-01	(12) Quart Bottles	24.5	37.80	60.00	5.00	82.20
HPI-1G	(1) Gallon	7.9	11.75	19.75	--	25.85
HPI-04	(4) Gallons	31.7	47.00	75.20	18.80	101.80
HPI-16*	16 Gallon Keg	130.7	185.00	293.00	--	374.00
HPI-30*	30 Gallon Drum	241.1	307.00	511.00	--	646.00
HPI-55*	55 Gallon Drum	432.3	486.00	880.00	--	1110.00

- Performance Specifications:**
- API TC
  - JASO FC



**Dominator™**

Premier racing two-cycle oil with a performance emphasis toward high horsepower and modified racing or trail motors. Examples include snowmobiles, motorcycles, ATVs, personal watercraft, go-carts or outboard racing motors that are periodically inspected. Contains higher viscosity oils for best overall protection. Contains additives for higher operating temperatures. Injector use or 50:1 pre-mix.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Dominator 2-Cycle Oil</b>						
TDR-QT	(1) Quart Bottle	2.1	4.95	6.90	--	9.25
TDR-01	(12) Quart Bottles	25.1	59.40	78.60	6.55	109.80
TDR-1G	(1) Gallon	8.1	18.65	26.50	--	35.50
TDR-04	(4) Gallons	32.4	74.60	100.80	25.20	140.40
TDR-16*	16 Gallon Keg	133.7	249.00	383.00	--	495.00
TDR-30*	30 Gallon Drum	246.7	429.00	688.00	--	854.00
TDR-55*	55 Gallon Drum	442.6	726.00	1210.00	--	1453.00

- Performance Specifications:**
- API TC
  - JASO FC



**Interceptor™**

A high-performance two-cycle oil with a performance emphasis on exhaust power valves. Excellent for all types of snowmobiles, motorcycles, personal watercraft, ATVs and jet boats. Contains high levels of detergent additives to prevent valve sticking. High quality replacement for manufacturer branded oils. Injector use or 50:1 premix.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Interceptor 2-Cycle Oil</b>						
AIT-QT	(1) Quart Bottle	2.1	4.30	6.05	--	8.40
AIT-01	(12) Quart Bottles	25.5	51.60	69.00	5.75	99.60
AIT-1G	(1) Gallon	8.2	16.20	22.95	--	31.65
AIT-04	(4) Gallons	33.0	64.80	87.40	21.85	125.00
AIT-16*	16 Gallon Keg	136.0	214.00	329.00	--	440.00
AIT-30*	30 Gallon Drum	251.0	351.00	584.00	--	776.00
AIT-55*	55 Gallon Drum	451.0	556.00	1010.00	--	1345.00

\* Not stocked in all Distribution Centers. Call for availability.

**Performance Specifications:**

- ISO-L-EGD
- JASO FD, FC
- API TC



**Saber™ Professional**

Designed for pre-mix applications as lean as 100:1 ratios. Richer mix ratios may be used where desired. Saber™ oils improve throttle response, lower or eliminate smoke, minimize deposit formation and lower emissions. Saber™ Professional has a performance emphasis on hand-held power equipment such as chain saws and lawn/utility equipment.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Saber Professional</b>						
ATP-PK	(1) 1.5-oz. Pack	0.2	0.65	0.90	--	1.30
ATP-48	(48) 1.5-oz. Packs	7.2	31.20	40.80	0.85	60.00
ATP-BA	(1) 3.5-oz. Bottle	0.4	1.05	1.50	--	2.10
ATP-35	(12) 3.5-oz. Bottles	4.5	12.60	16.80	1.40	24.00
ATP-BC	(1) 8-oz. Bottle	0.7	1.75	2.80	--	3.70
ATP-08	(12) 8-oz. Bottles	8.6	21.00	31.80	2.65	43.20
ATP-QT	(1) Quart Bottle	2.1	4.90	6.90	--	9.15
ATP-01	(12) Quart Bottles	25.4	58.80	78.60	6.55	108.60
ATP-30*	30 Gallon Drum	250.2	414.00	686.00	--	826.00
ATP-55*	55 Gallon Drum	449.1	663.00	1202.00	--	1373.00

**Performance Specifications:**

- TC-W3 (Pre-Mix)
- API TC



**Saber™ Outboard**

Designed for pre-mix applications as lean as 100:1 ratios. Richer mix ratios may be used where desired. Saber™ oils improve throttle response, lower or eliminate smoke, minimize deposit formation and lower emissions. Saber™ Outboard has a performance emphasis on the cooler operations of water-cooled motors.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Saber Outboard</b>						
ATO-BC	(1) 8-oz. Bottle	0.7	1.85	2.85	--	3.80
ATO-08	(12) 8-oz. Bottles	8.7	22.20	32.40	2.70	44.40
ATO-QT	(1) Quart Bottle	2.2	5.05	7.05	--	9.10
ATO-01	(12) Quart Bottles	25.8	60.60	80.40	6.70	108.00
ATO-30*	30 Gallon Drum	252.2	419.00	697.00	--	840.00
ATO-55*	55 Gallon Drum	425.7	671.00	1219.00	--	1439.00



**Series 2000 Synthetic Chaincase Lubricant**

Provides superior protection and performance for enclosed chains. Ideal for snowmobiles, ATVs and general equipment. Extreme pressure additives provide extra wear protection. Extends chain life, repels water and inhibits rust, oxidation and foam. Superior low temperature performance and protection.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Series 2000 Synthetic Chaincase Lubricant</b>						
TCC-BE	(1) 12-oz. Bottle	0.8	3.20	4.55	--	6.15
TCC-06	(6) 12-oz. Bottles	4.8	19.20	25.80	4.30	36.30
TCC-05	(1) 5 Gallon Pail	32.4	74.25	106.00	--	136.25



**Semi-Synthetic Bar and Chain Oil**

Tacky formula clings to metal surfaces better than other oils. Delivers unparalleled lubrication and protection. Anti-wear additives extend the life of bar and chain applications. Ideal for chainsaws.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Semi-Synthetic Bar and Chain Oil</b>						
ABC-QT	(1) Quart Bottle	2.1	1.60	2.60	--	3.35
ABC-01	(12) Quart Bottles	24.7	19.20	29.40	2.45	39.00
ABC-05	(1) 5 Gallon Pail	39.2	33.75	46.75	--	62.25
ABC-55*	55 Gallon Drum	455.0	165.00	398.00	--	458.00

\* Not stocked in all Distribution Centers. Call for availability.

**Performance Specifications:**  
 • NLGI #2  
 • GC/LB



**Series 2000 Synthetic Racing Grease**

Ultimate protection for hard-driven, high-performance vehicles. Dramatically reduces friction and wear for improved performance. Excels at both high and low temperature performance. Outperforms other conventional and synthetic greases.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Series 2000 Synthetic Racing Grease</b>						
GRG-CR	(1) 14-oz. Cartridge	1.0	6.00	7.90	--	10.80
GRG-10	(10) 14-oz. Cartridges	10.0	60.00	75.00	7.50	108.00
GRG-14	(40) 14-oz. Cartridges	40.0	236.00	288.00	7.20	432.00
GRG-35*	35-lb. Lug	40.0	194.00	248.50	--	318.75
GRG-99*	120-lb. Keg	132.0	430.00	715.00	--	887.00

**Performance Specifications:**  
 • NLGI #2  
 • GC/LB



**Synthetic Heavy-Duty Grease**

Extreme-pressure, moly-fortified. Provides outstanding protection for steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions. NLGI #1 is preferred for cold temperatures and auto pumping systems. Offers excellent water washout resistance.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Heavy-Duty Grease NLGI #2</b>						
GHD-CR	(1) 14-oz. Cartridge	1.0	3.05	4.30	--	5.50
GHD-10	(10) 14-oz. Cartridges	10.0	30.50	40.50	4.05	54.00
GHD-14	(40) 14-oz. Cartridges	40.0	118.00	156.00	3.90	216.00
GHD-35*	35-lb. Lug	40.0	92.75	123.00	--	160.50
GHD-99*	120-lb. Keg	132.0	206.00	359.00	--	465.00
GHD-40*	400-lb. Drum	415.0	566.00	1117.00	--	1408.00

**Performance Specifications:**  
 • NLGI #1  
 • GC/LB



**Synthetic Heavy-Duty Grease NLGI #1**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Heavy-Duty Grease NLGI #1</b>						
GHB-CR	(1) 14-oz. Cartridge	1.0	3.05	4.30	--	5.50
GHB-10	(10) 14-oz. Cartridges	10.0	30.50	40.50	4.05	54.00
GHB-14	(40) 14-oz. Cartridges	40.0	118.00	156.00	3.90	216.00
GHB-35*	35-lb. Lug	40.0	92.75	123.00	--	160.50
GHB-99*	120-lb. Keg	132.0	206.00	359.00	--	465.00
GHB-40*	400-lb. Drum	415.0	566.00	1117.00	--	1408.00

**Performance Specifications:**  
 • NLGI #2  
 • GC/LB

**Synthetic Multi-Purpose Grease**

Reduces friction and wear in high-speed, high-temperature components such as automotive wheel bearings and electric motors. Keeps components running clean and trouble free for outstanding performance and long life. NLGI #0 and NLGI #1 greases have better mobility and are preferred for cold temperature and automatic pump systems. NLGI #0 is not recommended for automotive wheel bearings. NLGI #2 is the primary wheel bearing recommendation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Multi-Purpose Grease NLGI #2</b>						
GLC-TB	(1) 8-oz. Tube	0.7	2.75	3.85	--	5.05
GLC-08	(12) 8-oz. Tubes	8.0	33.00	43.80	3.65	59.40
GLC-CR	(1) 14-oz. Cartridge	1.0	2.70	3.90	--	5.05
GLC-10	(10) 14-oz. Cartridges	10.0	27.00	37.00	3.70	49.50
GLC-14	(40) 14-oz. Cartridges	40.0	104.00	140.00	3.50	198.00
GLC-35*	35-lb. Lug	40.0	77.75	110.75	--	144.50
GLC-99*	120-lb. Keg	132.0	190.00	337.00	--	436.00
GLC-40*	400-lb. Drum	415.0	509.00	1007.00	--	1271.00

**Performance Specifications:**  
 • NLGI #1  
 • GC/LB

**Synthetic Multi-Purpose Grease NLGI #1**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Multi-Purpose Grease NLGI #1</b>						
GLB-CR	(1) 14-oz. Cartridge	1.0	2.70	3.90	--	5.05
GLB-10	(10) 14-oz. Cartridges	10.0	27.00	37.00	3.70	49.50
GLB-14	(40) 14-oz. Cartridges	40.0	104.00	140.00	3.50	198.00
GLB-35*	35-lb. Lug	40.0	77.75	110.75	--	144.50
GLB-99*	120-lb. Keg	132.0	190.00	337.00	--	436.00
GLB-40*	400-lb. Drum	415.0	509.00	1007.00	--	1271.00

**Performance Specifications:**  
 • NLGI #0  
 • GC/LB

**Synthetic Multi-Purpose Grease NLGI #0**

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Multi-Purpose Grease NLGI #0</b>						
GLA-35*	35-lb. Lug	40.0	77.75	110.75	--	144.50
GLA-99*	120-lb. Keg	132.0	190.00	337.00	--	436.00
GLA-40*	400-lb. Drum	415.0	509.00	1007.00	--	1271.00

**Performance Specifications:**  
 • NLGI #1



**Synthetic Multi-Purpose Spray Grease**

The same great AMSOIL Synthetic Multi-Purpose Grease in a convenient spray formulation. Ideal for greasing hard-to-reach equipment such as hinges, springs and other common applications.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Multi-Purpose Spray Grease</b>						
GLC-SC**	(1) 10.5-fluid oz. can	1.0	3.65	4.90	--	6.55
GLC-16**	(12) 10.5-fluid oz. cans	11.7	43.80	55.80	4.65	77.40

\* Not stocked in all Distribution Centers. Call for availability.

\*\* Cannot be shipped via air freight or parcel post.

**Performance Specifications Include:**  
 • NLGI #2  
 • GC/LB



**Synthetic Water Resistant Grease**

Resists water washout and degradation. Unparalleled protection for boat trailer wheel bearings and other components frequently exposed to water. Stays in place, lubricates and protects against rust.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Water Resistant Grease</b>						
GWR-CR	(1) 14-oz. Cartridge	1.0	3.15	4.45	--	6.00
GWR-10	(10) 14-oz. Cartridges	10.0	31.50	42.00	4.20	59.00
GWR-14	(40) 14-oz. Cartridges	40.0	124.00	162.00	4.05	236.00
GWR-35	35-lb. Lug	40.0	96.75	130.25	--	166.75
GWR-99*	120-lb. Keg	132.0	227.00	377.00	--	470.00

**Performance Specifications Include:**  
 • NLGI #2



**Synthetic High Viscosity Lithium Complex Grease**

AMSOIL Synthetic GVC is a lithium complex thickened grease blended with premium ISO-320 synthetic base oils. Fully compounded with additives providing EP protection, oxidation resistance and rust and corrosion protection. AMSOIL GVC is excellent for use in heavy duty industrial and off road applications where equipment is working under adverse conditions such as exposure to environmental elements, slow, heavily-loaded applications and shock-loading conditions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic High Viscosity Lithium Complex Grease</b>						
GVC-10	(10) 14-oz. Cartridges	10.0	33.00	43.00	4.30	56.00
GVC-14	(40) 14-oz. Cartridges	40.0	126.00	158.00	3.95	224.00

**Performance Specifications Include:**  
 • NLGI #00



**Semi-Fluid 00 Synthetic EP Grease**

AMSOIL Semi-Fluid 00 Synthetic EP Grease is formulated with high viscosity ISO-460 synthetic base oils and a sophisticated additive package, providing and unparalleled protection against wear. Ideal for leaky gear boxes in industrial and fleet applications, centralized lubrication systems and for use in applications that are difficult to service. Primarily used in grease-filled cases where conventional semifluid greases do not provide adequate lubricant life or protection. Replaces Mobil SHC 007.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Semi-Fluid 00 Synthetic EP Grease</b>						
GSF-35*	35-lb. Lug	40.0	192.75	244.50	--	314.00
GSF-99*	120-lb. Keg	132.0	446.00	743.00	--	931.00
GSF-40*	400-lb. Drum	415.0	1288.00	2340.00	--	2927.00

**Performance Specifications Include:**  
 • USDA H-1  
 • NLGI #2  
 • High Temperature EP



**X-Treme Synthetic Food Grade Grease**

An ultra-premium lubricant designed for high levels of protection in food and pharmaceutical industry equipment. Former USDA H-1 rated for incidental contact with food. Controls seal leakage.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>X-Treme Synthetic Food Grade Grease</b>						
GXC-CR	(1) 14-oz. Cartridge	1.0	4.65	6.25	--	8.65
GXC-10	(10) 14-oz. Cartridges	10.0	46.50	59.50	5.95	85.50
GXC-14	(40) 14-oz. Cartridges	40.0	184.00	228.00	5.70	342.00
GXC-35*	35-lb. Lug	40.0	157.75	199.00	--	255.75
GXC-99*	120-lb. Keg	132.0	344.00	573.00	--	712.00

**Performance Specifications Include:**  
 • AGMA 14R



**Synthetic Fifth Wheel & Open Gear Compound**

Stays in place and protects over a broad temperature range without flaking in low temperatures or softening in high temperatures. Excellent for fifth wheel applications, with a convenient aerosol spray application that creates less mess. Designed to resist water washout. Can also be used in open gear applications.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Fifth Wheel &amp; Open Gear Compound</b>						
GFW-SC**	(1) 11.5-fluid oz. can	1.0	5.00	6.65	--	9.05
GFW-06**	(6) 11.5-fluid oz. cans	6.2	30.00	38.10	6.35	53.70



**Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30**

Formulated for combinations of transmission, hydraulic systems, final drives, power take-off systems and wet brakes. Engineered specifically to meet the tough applications of heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors. Exceeds the most demanding "all weather" specifications of both Ford New Holland FNHA-2-C-200 & 2-C-201 and John Deere J20C & J20D, as well as most other tractor hydraulic transmissions. Eliminates the need for seasonal oil changes. Ideal for lawn tractor hydrostatic transmissions.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30</b>						
ATH-QT	(1) Quart Bottle	2.1	3.85	5.45	--	7.05
ATH-01	(12) Quart Bottles	25.2	46.20	61.80	5.15	83.40
ATH-05	(1) 5 Gallon Pail	39.0	65.00	94.25	--	119.50
ATH-30*	30 Gallon Drum	240.0	296.00	493.00	--	579.00
ATH-55*	55 Gallon Drum	434.0	436.00	854.00	--	978.00

GREASES

HYDRAULIC OILS

\* Not stocked in all Distribution Centers. Call for availability.

\*\* Cannot be shipped via air freight or parcel post.

HYDRAULIC OILS

- Recommended For:**
- Denison HF-0, HF-1, HF-2
  - Vickers M-2950-S & I-286-S
  - Cincinnati Milacron P-68, P-69, P-70
  - MEHF
  - Many Others

**Synthetic Anti-Wear Hydraulic Oils**

Protects hard-working hydraulic systems from the stress of high-pressure, high-load and heavy-duty operations. Remains fluid in cold temperatures for immediate cold weather flow. Special anti-wear additives and rust inhibitors provide optimum protection to expensive equipment.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Anti-Wear Hydraulic Oil - ISO 15</b>						
AWF-05	(1) 5 Gallon Pail	37.7	81.25	116.00	--	148.25
AWF-55*	55 Gallon Drum	419.0	620.00	1123.00	--	1305.00
<b>Synthetic Anti-Wear Hydraulic Oil - ISO 22</b>						
AWG-05	(1) 5 Gallon Pail	38.0	81.25	116.00	--	148.25
AWG-55*	55 Gallon Drum	421.0	620.00	1123.00	--	1305.00
<b>Synthetic Anti-Wear Hydraulic Oil - ISO 32</b>						
AWH-05	(1) 5 Gallon Pail	38.9	67.25	96.25	--	123.00
AWH-30	30 Gallon Drum	241.3	344.00	528.00	--	625.00
AWH-55*	55 Gallon Drum	423.0	499.00	905.00	--	1050.00
<b>Synthetic Anti-Wear Hydraulic Oil - ISO 46</b>						
AWI-05	(1) 5 Gallon Pail	38.9	71.00	100.50	--	128.50
AWI-55*	55 Gallon Drum	425.0	524.00	949.00	--	1104.00
<b>Synthetic Anti-Wear Hydraulic Oil - ISO 68</b>						
AWJ-05	(1) 5 Gallon Pail	39.1	74.25	106.25	--	136.25
AWJ-55*	55 Gallon Drum	428.0	561.00	1015.00	--	1177.00

**Synthetic Biodegradable Hydraulic Oil**

A premium lubricant designed to biodegrade to its natural state when subjected to sunlight, water and microbial activity. TBI has a very low toxicity level because the oil is formulated with ashless additives that do not contain heavy metals. AMSOIL TBI is recommended for gear, vane and piston stationary and mobile hydraulic systems. TBI is a multi-viscosity, SAE 5W-20 oil and is recommended for use in place of either ISO-32 or ISO-46 hydraulic oils.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Biodegradable Hydraulic Oil</b>						
TBI-05	(1) 5 Gallon Pail	41.2	113.25	161.25	--	201.75
TBI-55*	55 Gallon Drum	458.0	882.00	1601.00	--	1842.00

**Synthetic Compressor Oil**

The correct manufacturer-recommended viscosity grade of AMSOIL PC Series compressor oil is recommended for use in rotary screw, rotary vane, reciprocating and other compressor applications. Compatible with PAO, ester- and petroleum-based compressor oils. They are not compatible with glycol or silicone-based compressor oils. Consult AMSOIL INC. for further information.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Synthetic Compressor Oil - ISO 32, SAE 10W</b>						
PCH-05	(1) 5 Gallon Pail	38.4	80.00	114.00	--	146.00
PCH-55*	55 Gallon Drum	428.0	609.00	1107.00	--	1297.00
<b>Synthetic Compressor Oil - ISO 46, SAE 20</b>						
PCI-QT	(1) Quart Bottle	2.0	4.65	6.50	--	8.15
PCI-01	(12) Quart Bottles	24.4	55.80	73.80	--	96.60
PCI-05	(1) 5 Gallon Pail	38.4	80.75	115.00	--	146.75
PCI-30*	30 Gallon Drum	238.3	406.00	643.00	--	773.00
PCI-55*	55 Gallon Drum	427.3	616.00	1118.00	--	1310.00
<b>Synthetic Compressor Oil - ISO 68, SAE 30</b>						
PCJ-05	(1) 5 Gallon Pail	39.0	83.00	118.00	--	150.50
PCJ-55*	55 Gallon Drum	432.0	634.00	1151.00	--	1349.00
<b>Synthetic Compressor Oil - ISO 100, SAE 40</b>						
PCK-QT	(1) Quart Bottle	2.1	4.80	6.70	--	8.25
PCK-01	(12) Quart Bottles	24.6	57.60	76.20	6.35	97.80
PCK-05	(1) 5 Gallon Pail	38.8	84.75	120.25	--	153.50
PCK-30*	30 Gallon Drum	240.8	425.00	674.00	--	811.00
PCK-55*	55 Gallon Drum	431.8	649.00	1177.00	--	1380.00
<b>Synthetic Compressor Oil - ISO 150, SAE 50</b>						
PCL-05	(1) 5 Gallon Pail	39.0	86.75	123.25	--	157.25
PCL-55*	55 Gallon Drum	437.0	666.00	1210.00	--	1418.00

**SIROCCO™ Synthetic Compressor Oil**

SIROCCO™ is recommended as a direct replacement for PAG compressor oils such as Sullair Sullube 32 and Ingersoll Rand SSR Ultra Coolant. Not recommended for use with Silicone base fluids. Consult AMSOIL for further information.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>SIROCCO™ Synthetic Compressor Oil - ISO-32/46 SAE 5W-20</b>						
SEI-05	(1) 5 Gallon Pail	38.8	103.50	147.75	--	192.00
SEI-55*	55 Gallon Drum	434.5	811.00	1473.00	--	1798.00

- Performance Specifications:**
- ISO 32/46
  - SAE 5W-20



COMPRESSOR FLUIDS

\* Not stocked in all Distribution Centers. Call for availability.



**EaA Air Filters**

AMSOIL has brought Nanofiber technology to the auto/light truck market. AMSOIL Ea Air Filters hold 15 times more dust than a wet gauze type filter. AMSOIL Ea Air Filter media removes 5 times more dust than traditional cellulose filters and 50 times more dust than wet gauze. AMSOIL Ea Air Filters provide the absolute best filtration and have an unmatched 4-year/100,000-mile guarantee. AMSOIL Ea Air Filters save money. Case lots of six air filters now available.

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaA Air Filters - Single Filters</b>				
EaA-04	0.9	20.80	26.00	34.15
EaA-08	1.0	23.20	29.00	38.10
EaA-22	0.9	18.00	22.50	29.55
EaA-23	1.1	18.00	22.50	29.55
EaA-24	0.9	20.80	26.00	34.15
EaA-25	2.1	23.20	29.00	38.10
EaA-29	1.0	23.20	29.00	38.10
EaA-31	1.5	20.80	26.00	34.15
EaA-32	1.1	18.00	22.50	29.55
EaA-47	0.6	18.00	22.50	29.55
EaA-49	0.8	20.80	26.00	34.15
EaA-51	1.9	23.20	29.00	38.10
EaA-52	0.7	23.20	29.00	38.10
EaA-74	0.8	20.80	26.00	34.15
EaA-81	0.7	18.00	22.50	29.55
EaA-82	0.7	18.00	22.50	29.55
EaA-83	1.3	28.95	36.15	47.45
EaA-86	0.6	18.00	22.50	29.55
EaA-87	0.6	18.00	22.50	29.55
EaA-88	0.7	20.80	26.00	34.15
EaA-101	0.9	20.80	26.00	34.15
EaA-103	2.5	36.00	45.00	59.10
EaA-104	1.2	28.95	36.15	47.45
EaA-106	1.9	28.95	36.15	47.45
EaA-111	2.3	36.00	45.00	59.10
EaA-112	2.8	36.00	45.00	59.10
EaA-118	1.3	23.20	29.00	38.10
EaA-121	1.8	28.95	36.15	47.45
EaA-122	1.1	23.20	29.00	38.10
EaA-123	1.7	28.95	36.15	47.45
EaA-124	0.8	23.20	29.00	38.10
EaA-126	1.0	20.80	26.00	34.15
EaA-127	0.8	20.80	26.00	34.15
EaA-128	1.1	23.20	29.00	38.10
EaA-129	1.1	20.80	26.00	34.15
EaA-170	1.0	20.80	26.00	34.15
EaA-176	1.5	28.95	36.15	47.45
EaA-189	1.5	28.95	36.15	47.45
EaA-191	1.1	23.20	29.00	38.10
EaA-200	1.0	23.20	29.00	38.10
EaA-289	0.9	23.20	29.00	38.10
EaA-416	1.0	20.80	26.00	34.15
EaA-419	0.9	23.20	29.00	38.10
EaA-484	1.0	23.20	29.00	38.10
EaA-524	0.7	20.80	26.00	34.15
EaA-728	1.7	28.95	36.15	47.45

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaA Air Filters - Case Lots of 6 Filters</b>				
EaA-04CS	6.0	124.80	145.20	190.80
EaA-08CS	6.0	139.20	162.00	213.00
EaA-22CS	6.0	108.00	125.70	165.30
EaA-23CS	7.0	108.00	125.70	165.30
EaA-24CS	6.0	124.80	145.20	190.80
EaA-25CS	13.0	139.20	162.00	213.00
EaA-29CS	6.0	139.20	162.00	213.00
EaA-31CS	9.0	124.80	145.20	190.80
EaA-32CS	7.0	108.00	125.70	165.30
EaA-47CS	6.0	108.00	125.70	165.30
EaA-49CS	6.0	124.80	145.20	190.80
EaA-51CS	12.0	139.20	162.00	213.00
EaA-52CS	6.0	139.20	162.00	213.00
EaA-74CS	6.0	124.80	145.20	190.80
EaA-81CS	6.0	108.00	125.70	165.30
EaA-82CS	6.0	108.00	125.70	165.30
EaA-83CS	8.0	173.70	201.90	265.20
EaA-86CS	6.0	108.00	125.70	165.30
EaA-87CS	6.0	108.00	125.70	165.30
EaA-88CS	6.0	124.80	145.20	190.80
EaA-101CS	6.0	124.80	145.20	190.80
EaA-103CS	15.0	216.00	251.10	330.00
EaA-104CS	8.0	173.70	201.90	265.20
EaA-106CS	12.0	173.70	201.90	265.20
EaA-111CS	14.0	216.00	251.10	330.00
EaA-112CS	17.0	216.00	251.10	330.00
EaA-118CS	7.8	139.20	162.00	213.00
EaA-121CS	11.0	173.70	201.90	265.20
EaA-122CS	7.0	139.20	162.00	213.00
EaA-123CS	11.0	173.70	201.90	265.20
EaA-124CS	6.0	139.20	162.00	213.00
EaA-126CS	6.0	124.80	145.20	190.80
EaA-127CS	6.0	124.80	145.20	190.80
EaA-128CS	7.0	139.20	162.00	213.00
EaA-129CS	7.0	124.80	145.20	190.80
EaA-170CS	6.0	124.80	145.20	190.80
EaA-176CS	9.0	173.70	201.90	265.20
EaA-189CS	9.0	173.70	201.90	265.20
EaA-191CS	7.0	139.20	162.00	213.00
EaA-200CS	6.0	139.20	162.00	213.00
EaA-289CS	6.0	139.20	162.00	213.00
EaA-416CS	6.0	124.80	145.20	190.80
EaA-419CS	6.0	139.20	162.00	213.00
EaA-484CS	6.0	139.20	162.00	213.00
EaA-524CS	6.0	124.80	145.20	190.80
EaA-728CS	11.0	173.70	201.90	265.20

EaA AIR FILTERS

\* Not stocked in all Distribution Centers. Call for availability.

\*\* Cannot be shipped via air freight or parcel post.

EaAU UNIVERSAL AIR INDUCTION FILTERS, FILTER OIL, FILTER CLEANER & FILTER WRENCHES



**AMSOIL Universal Air Induction Filters**

AMSOIL Universal Air Induction Filters (EaAU) are designed to replace stock oil wetted gauze or foam conical filters that were supplied with custom induction systems produced by K&N, Injen, S&B, Green, AIRAID, AFE, TrueFlow and more. AMSOIL EaAU Filters offer better efficiency, excellent airflow and are cleanable.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaAU Universal Air Induction Filters</b>					
EaAU3050	(1) EaAU Filter	1.5	26.85	35.75	47.70
EaAU3051	(1) EaAU Filter	1.4	26.85	35.75	47.70
EaAU3090	(1) EaAU Filter	2.0	38.10	50.75	67.70
EaAU3555	(1) EaAU Filter	0.9	33.60	44.75	59.70
EaAU3560	(1) EaAU Filter	1.6	28.15	37.50	50.00
EaAU3570	(1) EaAU Filter	0.9	30.75	41.00	54.70
EaAU3590	(1) EaAU Filter	2.0	38.10	50.75	67.70
EaAU4070	(1) EaAU Filter	1.4	33.60	44.75	59.70
EaAU4075	(1) EaAU Filter	2.0	34.15	45.50	60.70
EaAU4090	(1) EaAU Filter	1.1	34.70	46.25	61.70
EaAU4091	(1) EaAU Filter	3.6	51.40	68.50	91.35
EaAU4095	(1) EaAU Filter	2.2	36.40	48.50	64.70
EaAU4178	(1) EaAU Filter	2.5	38.10	50.75	67.70
EaAU4510	(1) EaAU Filter	2.8	42.00	56.00	74.70
EaAU4560	(1) EaAU Filter	1.3	28.15	37.50	50.00
EaAU6065	(1) EaAU Filter	1.8	33.00	44.00	58.70
EaAU6075	(1) EaAU Filter	1.8	36.40	48.50	64.70
EaAU6080	(1) EaAU Filter	3.2	37.50	50.00	66.70
EaAU6081	(1) EaAU Filter	1.6	36.40	48.50	64.70



**AMSOIL High Tack Foam Filter Oil**

A special blend of synthetic polymers that allows maximum air flow and increased particle removing efficiency and capacity. Stays in one place throughout service life and resists washout from carburetor fogging. Red color ensures even oil coverage across the entire filter.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>High Tack Foam Filter Oil</b>						
AFO-BC	(1) 8-oz. Bottle	0.6	1.90	3.15	--	4.10
AFO-08	(6) 8-oz. Bottles	3.6	11.40	18.00	3.00	24.00
AFO-SC**	(1) 11-oz. Spray Can	1.0	3.35	4.95	--	6.55
AFO-06**	(6) 11-oz. Spray Cans	6.0	20.10	28.20	4.70	38.70



**Foam Air Filter Cleaner**

Specially formulated high quality biodegradable detergent offering quick, efficient and easy cleaning and preservation of AMSOIL Power Sports Air Filters, two stage filters and other common wetted gauze and foam-based motor and power sports filters. Spray application offers maximum convenience, speed of application and even coverage.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Foam Air Filter Cleaner</b>						
FFC-BE	(1) 12-oz. Bottle	0.6	2.65	3.95	--	5.05
FFC-06	(6) 12-oz. Bottles	3.6	15.90	22.50	3.75	29.70



**Filter Wrenches**

**Large Spider Filter Wrench**

Adjustable filter wrench that has three clamping legs driven by a gear mechanism for maximum range and gripping ability. For auto and light truck applications. Range: 2 3/8" to 4 3/4" (61mm to 121mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
G-2197	(1) Lrg Spider Wrench	1.3	--	11.50	--	12.80

**Small Spider Filter Wrench**

Adjustable filter wrench that has three clamping legs driven by a gear mechanism for maximum range and gripping ability. For auto and motorcycle applications in hard to get at locations. Range: 2 3/8" to 3 3/4" (61mm to 95mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
G-2198	(1) Sml Spider Wrench	0.8	--	6.75	--	7.50

**Strap Filter Wrench**

Wide band tightens while you turn. Offers the widest range of any wrench. For all filters. Range: Up to 6" (152mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
G-2199	(1) Strap Wrench	0.5	--	3.90	--	4.35



**Mechanics Lube Kit**

Contains the most critical tools for complete lube service for most makes and models. Includes tools for foreign and domestic servicing. Each kit contains: (13) Cap-type wrenches, (2) Hex cap socket wrenches, (2) Swivel-type filter wrenches, (1) Strap wrench, (1) Small spider wrench, (1) Adjustable plier-type wrench, (6) Drain plug wrenches, (2) Metric square plug wrenches, (3) Metric hex drain plug wrenches, (1) 12 point x 16mm drain plug wrench, (1) Low profile T45 Torx oil filter tool

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
G-2200	(1) Mechanics Lube Kit	15.0	--	150.00	--	167.00

\* Not stocked in all Distribution Centers. Call for availability.



**EaO Oil Filters**

AMSOIL Ea Oil Filters are made with premium-grade full synthetic media. Ea Oil Filters feature advanced full synthetic nanofiber technology, making them the highest efficiency filters that are available for the auto/light truck market. AMSOIL EaO Filters are guaranteed for 25,000 miles or one year, whichever comes first, when used in conjunction with AMSOIL Synthetic Motor Oil in gasoline and diesel vehicles in normal service, 15,000 miles for severe service. This coincides with the AMSOIL 25,000-mile/one year motor oil drain interval, adding even more convenience for motorists by consolidating routine maintenance. Case lots of twelve oil filters now available

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaO Oil Filters - Single Filters</b>				
EaO-09	0.6	7.60	11.65	15.30
EaO-10	0.6	7.60	11.65	15.30
EaO-11	0.9	7.90	12.15	15.95
EaO-12	0.6	7.90	12.15	15.95
EaO-13	0.6	8.25	12.65	16.65
EaO-14	0.6	8.25	12.65	16.65
EaO-15	1.0	7.60	11.65	15.30
EaO-20	0.7	7.60	11.65	15.30
EaO-21	0.9	8.55	13.15	17.30
EaO-22	1.1	11.50	17.65	23.20
EaO-23	0.8	8.25	12.65	16.65
EaO-24	0.6	7.90	12.15	15.95
EaO-25	1.0	7.60	11.65	15.30
EaO-26	1.3	11.50	17.65	23.20
EaO-27	1.1	8.55	13.15	17.30
EaO-29	0.7	8.25	12.65	16.65
EaO-30	1.0	8.25	12.65	16.65
EaO-31	1.0	8.55	13.15	17.30
EaO-32	0.8	7.60	11.65	15.30
EaO-34	0.8	8.55	13.15	17.30
EaO-36	0.8	8.25	12.65	16.65
EaO-40	1.0	8.55	13.15	17.30
EaO-41	1.0	8.55	13.15	17.30
EaO-42	1.0	7.60	11.65	15.30
EaO-43	1.0	8.55	13.15	17.30
EaO-44	1.0	7.90	12.15	15.95
EaO-52	1.0	8.55	13.15	17.30
EaO-57	0.7	7.60	11.65	15.30
EaO-58	0.7	8.25	12.65	16.65
EaO-59	0.8	7.90	12.15	15.95
EaO-64	0.6	7.60	11.65	15.30
EaO-76	1.6	11.50	17.65	23.20
EaO-80	2.0	10.40	16.50	22.00
EaO-88	0.5	16.30	23.25	31.00
EaO-96	1.3	8.25	12.65	16.65
EaO-99	2.2	11.50	17.65	23.20

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaO Oil Filters - Case Lots of 12 Filters</b>				
EaO-09CS	8.0	91.20	130.20	171.00
EaO-10CS	8.0	91.20	130.20	171.00
EaO-11CS	11.0	94.80	135.60	178.20
EaO-12CS	8.0	94.80	135.60	178.20
EaO-13CS	8.0	99.00	141.60	186.00
EaO-14CS	8.0	99.00	141.60	186.00
EaO-15CS	12.0	91.20	130.20	171.00
EaO-20CS	9.0	91.20	130.20	171.00
EaO-21CS	11.0	102.60	147.00	193.20
EaO-22CS	14.0	138.00	197.40	259.20
EaO-23CS	10.0	99.00	141.60	186.00
EaO-24CS	8.0	94.80	135.60	178.20
EaO-25CS	12.0	91.20	130.20	171.00
EaO-26CS	16.0	138.00	197.40	259.20
EaO-27CS	13.2	102.60	147.00	193.20
EaO-29CS	9.0	99.00	141.60	186.00
EaO-30CS	12.0	99.00	141.60	186.00
EaO-31CS	12.0	102.60	147.00	193.20
EaO-32CS	10.0	91.20	130.20	171.00
EaO-34CS	10.0	102.60	147.00	193.20
EaO-36CS	10.0	99.00	141.60	186.00
EaO-40CS	12.0	102.60	147.00	193.20
EaO-41CS	12.0	102.60	147.00	193.20
EaO-42CS	12.0	91.20	130.20	171.00
EaO-43CS	12.0	102.60	147.00	193.20
EaO-44CS	12.0	94.80	135.60	178.20
EaO-52CS	12.0	102.60	147.00	193.20
EaO-57CS	9.0	91.20	130.20	171.00
EaO-58CS	9.0	99.00	141.60	186.00
EaO-59CS	10.0	94.80	135.60	178.20
EaO-64CS	8.0	91.20	130.20	171.00
EaO-76CS	20.0	138.00	197.40	259.20
EaO-80CS	24.0	124.80	184.20	242.40
EaO-88CS	6.0	195.60	259.80	341.40
EaO-96CS	16.0	99.00	141.60	186.00
EaO-99CS	27.0	138.00	197.40	259.20

**EaO Filter Cut-a-Way**

This Cut-a-Way filter is ideal for demonstrating the superior quality and construction of the AMSOIL EaO oil filter.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
EaO Filter Cut-A-Way	(1) Filter Cut-a-Way	1.0	--	35.00	--	38.90

**EaAM Motorcycle Air Filters**

AMSOIL has brought Nanofiber technology to the motorcycle market. AMSOIL Ea Motorcycle Air Filters hold 15 times more dust than a wet gauze type filter. Their nanofiber media removes 5 times more dust than traditional cellulose filters and 50 times more dust than wet gauze.



Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaAM Motorcycle Air Filters</b>				
EAAM22	1.0	21.75	29.00	38.70
EAAM23	1.0	21.00	28.00	37.35
EAAM33096	1.1	33.95	45.25	60.35
EAAM33104	2.0	41.05	54.70	72.95
EAAM33196	1.1	35.25	47.00	62.70
EAAM43701	1.3	28.15	37.50	50.00
EAAM46199	1.4	42.75	57.00	76.00
EAAM46299	1.4	41.80	55.70	74.30

EAO OIL FILTERS & EAAM MOTORCYCLE AIR FILTERS



**EaOM Motorcycle Oil Filters**

AMSOIL Ea Motorcycle Oil Filters are made with premium-grade full synthetic media. Ea Motorcycle Oil Filters feature advanced full synthetic nanofiber technology, making them the highest efficiency filters available for the motorcycle market.

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>EaOM Motorcycle Oil Filters</b>				
EaOM102	0.8	5.45	8.50	10.90
EaOM103	0.6	7.35	11.50	14.75
EaOM103C	0.6	8.50	13.25	17.00
EaOM109	0.6	7.70	12.00	15.35
EaOM122	0.8	7.70	12.00	15.35
EaOM122C	0.8	8.50	13.25	17.00
EaOM132	0.7	6.75	10.50	13.45
EaOM132C	0.7	7.55	11.75	15.10
EaOM133	1.0	7.35	11.50	14.75
EaOM133C	1.0	8.50	13.25	17.00
EaOM134	0.9	6.75	10.50	13.45
EaOM134C	0.9	7.55	11.75	15.10
EaOM135	0.9	6.25	9.75	12.50
EaOM135C	0.9	7.55	11.75	15.10
EaOM136C	0.9	6.95	10.75	13.80

**Note:**  
"C" designates that the filter is chrome.



**Super Duty Motorcycle Oil Filters**

A full-flow filter designed specifically for extended drain intervals and severe service for motorcycle and ATV applications. They provide superior efficiency and greater capacity than other popular filters.

- Use Group 1 For: SMF-104
- Use Group 2 For: SMF-131
- Use Group 3 For: SMF-113, 120, 121, 127

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>Super Duty Motorcycle Oil Filters</b>				
Group 1	0.3	3.35	5.15	6.80
Group 2	0.2 - 0.4	4.10	6.35	8.25
Group 3	0.2 - 0.8	5.05	7.85	10.05



**Power Sports Air Filters**

Superior air filtration performance for ATVs and dirt bikes. Stops and holds more dirt than conventional filters. Ensures top performance for demanding off road applications. Cleanable and reusable.

- Use Group 1 For: PSFA-68
- Use Group 2 For: PSFA-23
- Use Group 3 For: PSFA-46, 47
- Use Group 4 For: PSFA-45
- Use Group 5 For: PSFA-40, 66, 76, 82, 84
- Use Group 6 For: PSFA-33, 35, 44, 61
- Use Group 7 For: PSFA-19, 21, 28, 42, 58, 79
- Use Group 8 For: PSFA-22, 55, 72, 75
- Use Group 9 For: PSFA-15, 18, 20, 31, 32, 37, 38, 49, 52, 54, 56, 62, 63, 80, 83
- Use Group 10 For: PSFA-30, 34, 57
- Use Group 11 For: PSFA-26, 39, 41, 48, 59, 65, 71
- Use Group 12 For: PSFA-50, 51
- Use Group 13 For: PSFA-10, 11, 12, 14, 16, 17, 25, 27, 29, 43, 53, 64, 67, 69, 70, 73, 81
- Use Group 14 For: PSFA-13, 24, 36, 74, 77, 78
- Use Group 15 For: PSFA-60

Stock No.	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>Power Sports Air Filters</b>				
Group 1	0.3	1.80	3.60	5.95
Group 2	0.3	3.00	6.00	9.95
Group 3	0.3	4.50	9.00	14.95
Group 4	0.3	5.10	10.20	16.95
Group 5	0.3	5.70	11.40	18.95
Group 6	0.3	6.00	12.00	19.95
Group 7	0.3	6.30	12.60	20.95
Group 8	0.3	6.60	13.20	21.95
Group 9	0.3	6.90	13.80	22.95
Group 10	0.3	7.20	14.40	23.95
Group 11	0.3	7.50	15.00	24.95
Group 12	0.3	8.00	15.95	26.95
Group 13	0.3	8.10	16.20	26.95
Group 14	0.3	8.70	17.40	28.95
Group 15	0.3	10.50	21.00	34.95




**Power Core Air Filters**

AMSOIL offers premium PowerCore® Air Filters for Ford 6.0L and 7.3L PowerStroke™ Diesel, H2 Hummer 6.0L Vortec™ applications, and select John Deere and Freightliner applications.

Stock No.	Wt. Pkg/Size	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>Donaldson™ PowerCore® Air Filter For Ford 6.0L Diesel PowerStroke™ Applications</b>				
P603577	(1) Air Filter 4.8	36.75	52.50	69.95
<b>AMSOIL PCF-H2 PowerCore® Air Filter For H2 Hummer 6.0L Vortec™ Applications</b>				
PCF-H2	(1) Air Filter 2.7	36.75	52.50	69.95
<b>7.3L PowerStroke Air Induction System</b>				
PCIS-73	(1) Air Induction System 14.0	135.00	225.00	300.00
PCF-73	(1) Replacement Filter 2.8	54.50	90.70	120.95
<b>PowerCore Filter for Freightliner M2</b>				
P548070	(1) Primary Air Filter 4.0	39.60	62.85	83.80
P544432	(1) Secondary Air Filter 0.6	10.05	15.95	21.30
<b>PowerCore Filter for John Deere 6020 Series</b>				
P606121	(1) Primary (AL150288) Air Filter 1.0	19.45	30.80	41.10
P606119	(1) Secondary, 4 Cylinder (AL119839) Air Filter 2.8	39.10	62.05	82.75
P606120	(1) Secondary, 6 Cylinder (AL150285) Air Filter 3.8	43.30	68.70	91.60
<b>Fuel Filter for Ford 6.0 Diesel PowerStroke™ Applications</b>				
FFK-60	(2) Fuel Filters (Primary & Secondary) 2.0	31.50	45.00	60.00



\* Not stocked in all Distribution Centers. Call for availability.



**By-Pass Oil Filter Units**

Engine wear is caused by dirt particles of about 5 microns. The AMSOIL By-Pass Oil Filter removes particles less than one micron or larger, virtually eliminating engine wear. AMSOIL By-Pass Oil Filters filter all of the oil in a six quart system in about five minutes at an average engine speed equivalent to 45 mph.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
-----------	----------	-------------	--------------------	------------------	------------------------

**By-Pass Filter Mounting Kit**

Without filter element - 1 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.

BMK-11	(1) Universal Mount	3.8	97.75	130.50	174.00
--------	---------------------	-----	-------	--------	--------

**Dual-Gard Mount**

Links two AMSOIL By-Pass Filter Elements together for engines with sump capacities greater than 20 quarts. Includes Flow Restrictor without hardware, hoses or filter elements - 2 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.

BMK-12	(1) Dual Gard Mount	4.8	64.50	86.50	114.00
--------	---------------------	-----	-------	-------	--------

**Dual Remote Oil Filtration Kit**

Versatile system combines Full-Flow and By-Pass filtration on a single, easy-to-install mount. All installation parts are included. Without filter elements - 2 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.

BMK-13	(1) Reversible Remote Mount	8.3	114.00	152.50	201.00
--------	-----------------------------	-----	--------	--------	--------

**Remote Full-Flow Mount Kit**

Without filter element - 1 full-flow required.

BMK-14	(1) Remote Full-Flow Mount	6.0	102.00	136.50	181.00
--------	----------------------------	-----	--------	--------	--------

**Dual Remote System for Cummins Diesels**

Includes both filters. For applications prior to 2004.

BMK-15Ea	(1) Reversible Remote Mount	11.8	135.00	182.75	235.00
----------	-----------------------------	------	--------	--------	--------

**Dual Remote System for International Diesels**

Includes both filters. Not to be used with 6.0L PowerStroke™ Diesels.

BMK-16Ea	(1) Reversible Remote Mount	12.1	142.50	192.75	250.00
----------	-----------------------------	------	--------	--------	--------

**Dual Remote System for Duramax™ Diesels**

Unit includes one EaO-26 Filter Element and one EaBP-100 By-Pass Filter Element.

BMK-17Ea	(1) Reversible Remote Mount	12.1	135.00	182.75	235.00
----------	-----------------------------	------	--------	--------	--------

**Marine By-Pass Filtration System**

BMK-18	(1) Marine Oil Filtration System	13.0	300.00	400.00	460.00
--------	----------------------------------	------	--------	--------	--------

**BMK-18 Adapters**

BK-195	(1) 3/4 x 16" Thread Adapter	0.1	--	39.50	49.40
BK-196	(1) 13/16 x 16" Thread Adapter	0.1	--	39.50	49.40
BK-197	(1) 18mm x 1.5" Thread Adapter	0.1	--	39.50	49.40
BK-198	(1) 20mm x 1.5" Thread Adapter	0.1	--	39.50	49.40

**By-Pass Oil Filter Spin-On Replacement Filter Elements**

EaBP-90	(1) 6" Filter	2.3	20.75	27.65	35.95
EaBP-100	(1) 8" Filter	2.7	21.75	28.95	37.65
EaBP-110	(1) 10" Filter	3.5	25.20	33.60	43.70
G-2204	(1) BP-110 Cut-Away Demo	3.5	--	35.00	38.90



**AMS-Oiler™ Pre-Charger Units**

The AMS-Oiler™ pre-charger effectively puts an end to dry-engine starting. Motor oil is injected directly on the engine bearings and other wear-sensitive surfaces upon turning the ignition key. Its rugged construction withstands severe service and performs reliably in any personal, commercial or industrial application. Outperforms gas- and air-charge systems. Mechanical life cycle exceeds one million engine starts, with no maintenance required.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
-----------	----------	-------------	--------------------	------------------	------------------------

**AMK-01**

Designed for use with the AMSOIL BMK-13 or 15 through 18 Dual Remote Systems.

AMK-01	(1) By-Pass Pre-Charger	4.3	221.00	294.00	338.00
--------	-------------------------	-----	--------	--------	--------

**AMK-02**

Can be used with any engine application and mounts at any angle.

AMK-02	(1) Stand Alone Pre-Charger	6.2	261.00	348.00	400.00
--------	-----------------------------	-----	--------	--------	--------

**AMS-Oiler Replacement Parts**

AMK-2729	(1) Wiring Harness with Timer Relay and Sound	0.2	--	29.75	39.70
AMK-2852	(1) Coil Assembly	0.3	--	28.00	37.35
BP-255	(1) Oil Sampling Banjo Bolt	0.3	--	10.25	13.70

BY-PASS UNITS & PRE-CHARGER UNITS

**AMSOIL TOLL-FREE ORDERING LINE 1-800-777-7094**

**By-Pass Oil Filter Replacement Parts and Oil Sending Unit Adapters**

These items will be shipped postpaid.

**Parts for BMK 11, 12, 13, 14, 15, 16 installations.**

No.	Description	Pkg.	Price
<b>BK-203</b>	Mount, Assembly, BMK-11	1	50.70
<b>BP-40</b>	Self-Tapping Hollow Bolt	1	3.25
<b>BP-41</b>	Sealing Gasket for Hollow Bolt	1	.75
<b>BP-44</b>	Oil Sending Unit Adapter Kit 1/8" x 28BSP (Most Japanese Cars)	1	10.00
<b>BP-45</b>	Oil Sending Unit Adapter Kit 10mm x 1.0mm (Most European Cars)	1	10.00
<b>BP-67</b>	Oil Sampling Petcock Valve with Street Tee Fitting	1	3.60
<b>BP-89</b>	Return Line Swivel Fitting	1	8.50
<b>BP-207</b>	Hose Fitting, 1/4" for BMK-11	1	8.20
<b>BP-208</b>	Adapter Fitting, 1/8" MNPT to 7/16" -20 JIC, BMK-11	1	1.15
<b>BP-216</b>	Hose, 1/4" for BMK-11	1	4.10/ft.
<b>BP-241</b>	1/8" NPT - 1/4" JIC fitting	1	6.85
<b>For BMK-13, 14, 15, 16 and 17</b>			
<b>BK-11</b>	90° Fitting (1 long, 1 short) BMK-13, 14, 15 & 16	1	25.00
<b>BK-12</b>	45° Fitting (2 per pkg.) BMK-13, 14, 15, & 16	1	20.80
<b>BK-13</b>	Oil Sampling Petcock Valve BMK-13, 15, & 16	1	10.35
<b>BK-193</b>	Mount, Assembly, BMK-12	1	61.75
<b>BK-204</b>	Mount, Assembly, BMK-14	1	50.70
<b>BK-209</b>	Mount, Assembly, BMK-13, 15 & 16	1	64.60
<b>BP-158</b>	Spin-On Adapter Kit (for BMK-13 & 14) Includes BP-159, 160, 161, 162, 163, 164, 165 & 166	1	20.95
<b>BP-161</b>	O-Ring, Small 2 1/2" (BMK-15)	1	.75
<b>BP-162</b>	O-Ring, Large 3 1/8" I.D. (BMK-13 & 14)	1	.75
<b>BP-176</b>	Spin-On Casting (includes O-Ring) BMK-15	1	17.60
<b>BP-177</b>	Spin-On Casting (includes O-Ring) BMK-16	1	21.90
<b>BP-178</b>	O-Ring, 3 5/8" BMK-16	1	.90
<b>BP-182</b>	Hose Fitting 1/2" BMK-13, 14, 15 & 16	1	3.40
<b>BP-187</b>	Hose Fitting 13/32" BMK-13, 14, 15 & 16	1	7.20
<b>BP-189</b>	Adapter Fitting 1/2" -16 straight to 3/4" -16 JIC BMK-13, 14, 15 & 16	1	2.40
<b>BP-190</b>	Adapter Fitting, 3/8" MNPT to 3/4" -16 JIC BMK-13, 14, 15 & 16	1	1.75
<b>BP-191</b>	3/4" -16 Allen Head Plug with "O" Ring BMK-13, 15 & 16	1	1.80

order online @ [www.amsoil.com](http://www.amsoil.com)

No.	Description	Pkg.	Price
<b>For BMK-13, 14, 15, 16 and 17</b>			
<b>BP-194</b>	Mounting Bracket Top BMK-12, 13, 14, 15 & 16	1	6.45
<b>BP-195</b>	Mounting Bracket Bottom BMK-12, 13, 14, 15 & 16	1	5.20
<b>BP-196</b>	Gasket, 2 1/2" BMK-13 & 14	1	.70
<b>BP-201</b>	Adapter Fitting, 1/2" MNPT to 3/4" -16 JIC BMK-15 & 16	1	2.55
<b>BP-202</b>	Restrictor Assembly, .0937" orifice BMK-12	1	7.25
<b>BP-213</b>	Adapter Fitting, 3/4" -16 Straight to 7/16" -20 JIC BMK-12	1	4.40
<b>BP-217</b>	Hose, 13/32" Dia. BMK-13, 14, 15 & 16	1	4.55/ft.
<b>BP-219</b>	Spin-On Casting (w/O-Ring), BMK-17	1	17.60
See Oil and Air Filter Application Guide (G-3000)			
<b>For Installation of BMK-11 on 2003 &amp; later Ford Pickups with 6.0L engines:</b>			
<b>BK-1101</b>	Aluminum billet oil filter cap	1	95.00
<b>BK-1102</b>	Aluminum billet oil fill cap	1	50.00
<b>BP-242</b>	90° JIC Elbow	1	3.50

<b>For Installation of BMK-11 on 2004 &amp; later Dodge Trucks with 5.9L Cummins diesel engines:</b>			
<b>BK-1301</b>	Aluminum billet oil fill cap	1	50.00
<b>BP-242</b>	90° JIC Elbow	1	3.50
<b>For Installation of BMK-11 on GMC Duramax Diesel engines:</b>			
<b>BK-1201</b>	Aluminum oil filter sandwich adapter w/o-ring	1	50.00
<b>BK-1202</b>	Aluminum billet oil fill cap	1	50.00
<b>BP-242</b>	90° JIC Elbow	1	3.50

<b>For BMK-18</b>			
<b>BK-194</b>	Filter Mount Assembly, BMK-18	1	69.60
<b>BP-162</b>	Large "O" Ring (3 1/8" I.D.)	1	0.75
<b>BP-225</b>	Mounting Bracket (Top)	1	7.25
<b>BP-226</b>	Mounting Bracket (Bottom)	1	7.25
<b>BP-228</b>	Allen Head Plug	1	8.60
<b>BP-229</b>	Hose Fitting	1	31.25
<b>BP-230</b>	1/2" I.D. Hose	1	9.80
<b>BP-231</b>	90-Degree Fitting	1	34.00
<b>BP-232</b>	"O"-Ring Fitting Adapter	1	12.65
<b>BP-239</b>	BMK-18 Installation Instructions	1	1.20
<b>BP-246</b>	"O" Ring for Adapter Nut	1	0.70
<b>BP-304</b>	3/4"-16 Thread Adapter Retaining Nut	1	24.00
<b>BP-305</b>	13/16"-16 Thread Adapter Retaining Nut	1	24.00
<b>BP-306</b>	18 mm x 1.5 Thread Adapter Retaining Nut	1	24.00
<b>BP-307</b>	20 mm x 1.5 Thread Adapter Retaining Nut	1	24.00

**BY-PASS FILTRATION PARTS & OIL ANALYSIS OPTIONS**

**Oil Analysis Options**

AMSOIL provides oil analysis service options. By analyzing used engine oil, a qualified lab can detect mechanical problems your engine may have developed.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Retail, ea.
<b>TRIGARD Protection Plans</b>					
For personal cars and light duty trucks using AMSOIL 100% synthetic oil; must have AMSOIL synthetic oils, air filter and By-Pass Oil Filter Kit installed to be eligible.					
<b>TRIGARD I</b>					
ATG-01	Initial registration + 2 analysis	0.6	23.00	28.75	36.00
<b>TRIGARD II</b>					
ATG-02	Continue with 2 subsequent analysis	0.6	23.00	28.75	36.00

**Oil Analyzers, Inc. Sample Kits with Complete Analysis**

-Includes two-way postage-

G-1451	(1) Sample Kit (U.S. Postal Service)	0.1	--	20.20	25.20
G-1451U	(1) Sample Kit (with UPS Return Label)	0.1	--	20.20	25.20
G-1454	(50) Sample Kits	0.1	--	982.50	1260.00
G-1455	(100) Sample Kits	0.1	--	1925.00	2520.00

**Oil Analyzers, Inc. Sample Kits with Complete Analysis**

-Not postage paid-

G-1318	(1) Sample Kit	0.1	--	15.20	20.20
G-1321	(50) Sample Kits	0.1	--	737.50	1010.00
G-1322	(100) Sample Kits	0.1	--	1445.00	2020.00

**Accessories**

G-1206	Oil Suction Pump w/10-ft. hose	0.1	--	24.50	27.25
G-1571	Replacement Hose 25-ft.	0.1	--	7.95	8.85

\* Not stocked in all Distribution Centers. Call for availability.



**P.I. Performance Improver Gasoline Additive**

Ideal for both fuel-injected and carbureted systems. Dissolves and removes fuel system and valve deposits and other contaminants for improved power and overall performance in gasoline engines. The P.I. Quickshot is packaged as a convenient, single-use application of P.I. Performance Improver.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
API-BF	(1) 16-oz. Bottle	1.1	4.55	6.30	--	7.95
API-16	(12) 16-oz. Bottles	12.8	54.60	72.00	6.00	94.20
API-1G	(1) Gallon Bottle	7.7	32.80	43.35	--	54.10
API-04	(4) Gallon Bottles	30.8	131.20	165.00	41.25	214.80
API-55*	55 Gallon Drum	421.2	1073.00	1942.00	--	2242.00

**P.I. Performance Improver Quick Shot**

AQS-BB	(1) 6-oz. Bottle	0.4	2.70	3.70	--	4.60
AQS-06	(6) 6-oz. Bottles	2.5	16.20	21.00	3.50	27.00



**Gasoline Stabilizer**

Reduces the oxidation process that occurs when fuel is stored for extended periods to prevent the formation of varnish and sludge which can clog injectors, stick floats and cause poor engine performance. Ideal for stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
AST-BF	(1) 16-oz. Bottle	1.1	4.40	6.70	--	8.00
AST-16	(6) 16-oz. Bottles	6.5	26.40	38.10	6.35	47.40



**Diesel Concentrate**

A total system cleaner and lubricity improver for all types of diesel engines. Improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke and emissions. Improves fuel economy by cleaning dirty injectors and restores horsepower. Designed for use in heavy-duty diesel engines.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
ADF-CN	(1) 16-oz. Bottle	1.2	3.60	5.00	--	6.65
ADF-16	(12) 16-oz. Bottle	14.0	43.20	57.00	4.75	78.60
ADF-05	5 Gallon Pail	39.7	103.50	135.00	--	175.25
ADF-55*	55 Gallon Drum	441.9	790.00	1250.00	--	1500.00



**Cold Flow Improver**

To be added to Diesel Fuel Additive Concentrate to improve cold weather performance in applications below 40°F. Lowers the cold filter plugging point by as much as 20°F and decreases the need for #1 diesel fuel that is diluted with kerosene. Contains jet fuel-type deicer to help prevent ice formation in fuels that are contaminated with water.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
DFF-CN	(1) 16-oz. Bottle	1.2	3.30	4.95	--	6.30
DFF-16	(12) 16-oz. Bottles	14.2	39.60	56.40	4.70	74.40
DFF-05	5 Gallon Pail	40.2	90.25	128.75	--	167.50
DFF-55	55 Gallon Drum	446.9	673.00	1222.00	--	1467.00



**Cetane Boost Diesel Fuel Additive**

Improves combustion efficiency to increase power in diesel engines. Raises cetane three to seven numbers. Also improves low-temperature starting, fuel ignition quality and reliability. Treats up to 200 gallons. For use in any diesel-fueled engine.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
ACB-CN	(1) 16-oz. Bottle	1.3	3.70	5.60	--	7.20
ACB-16	(12) 16-oz. Bottle	15.5	44.40	63.60	5.30	85.20
ACB-05	5 Gallon Pail	43.3	115.50	155.00	--	192.75
ACB-55*	55 Gallon Drum	481.3	787.00	1430.00	--	1631.00



**Series 2000 Octane Boost**

Maximizes power and improves performance in all two-cycle and four-cycle gasoline engines. Increases octane number up to seven points. Reduces engine knock, improves ignition and engine response, helps fuel burn cleaner and inhibits corrosion. Recommended for off-road and racing use.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
AOB-BE	(1) 12-oz. Bottle	0.8	4.15	7.20	--	8.95
AOB-06	(6) 12-oz. Bottles	4.7	24.90	41.10	6.85	53.10



**Home Heating Fuel Extender**

Improves combustion efficiency. Cleans soot deposits for improved heat transfer. Reduces smoke output. Keeps nozzle clean and operating at peak efficiency. Cleans from the tank to the burner for dependable operation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
AHF-BF	(1) 16-oz. Bottle	1.1	4.60	7.05	--	8.85
AHF-16	(6) 16-oz. Bottles	6.6	27.60	40.20	6.70	52.50

\* Not stocked in all Distribution Centers. Call for availability.



**Engine Fogging Oil**

A highly effective rust preventative designed to protect internal engine components during storage or long periods of inactivity. Ideal for outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATV's, motor homes and generators or any equipment with a two or four-stroke engine.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Engine Fogging Oil</b>						
FOG-SC	(1) 12-oz. Aerosol Can	0.8	2.80	4.15	--	5.45
FOG-06	(6) 12-oz. Aerosol Cans	5.0	16.80	23.70	3.95	32.10



**MP Metal Protector**

Displaces water and protects metal surfaces from rust and corrosion. Provides a light film that prevents metal-to-metal contact. Excellent for use on guns, hinges, squeaky mechanical objects, electrical systems and more. Penetrates existing rust buildup. Also dries wet electrical systems.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>MP Metal Protector</b>						
AMP-SC**	(1) 8.75 Fluid-oz. Can	0.8	2.00	3.35	--	4.55
AMP-12**	(12) 8.75 Fluid-oz. Cans	10.0	24.00	37.80	3.15	53.40
AMP-30*	30 Gallon Drum	227.5	390.00	539.00	--	651.00
AMP-55*	55 Gallon Drum	407.3	605.00	930.00	--	1121.00



**MP Heavy Duty Metal Protector**

A heavy-duty spray lubricant fortified with special rust and corrosion inhibitors. Penetrates and adheres to metal surfaces, leaving a long-lasting protective coating. Apply MPHD to any metal surface that requires a heavy-duty lubricant or is exposed to the damaging effects of salt, moisture or chemical corrosion. Works as an undercoat, leaving a wax-like film. Recommended for motorcycle chains. Won't "sling-off". Dry to the touch. Does not attract dust.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>MPHD Metal Protector</b>						
AMH-SC**	(1) 16 Fluid-oz. Can	1.4	3.35	4.65	--	6.60
AMH-16**	(12) 16 Fluid-oz. Cans	16.8	40.20	52.80	4.40	78.00



**Silicone Spray**

Perfect for lubricating nonmetal surfaces that contact with metal, nylon, cardboard, fiberglass, wood or plastic surfaces. Special non-staining formula. USDA H-1 rated for incidental contact with food. Excellent for waterproofing leather boots, shoes, jackets, suede etc.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Silicone Spray</b>						
ALS-SC**	(1) 10 Fluid-oz. Can	0.9	3.50	4.80	--	6.70
ALS-06**	(6) 10 Fluid-oz. Cans	5.6	21.00	27.30	4.55	39.60



**Power Foam**

Improves starting and performance. Cleans dirty intake systems and spark plugs and frees sticky valves. Also removes gum, varnish and carbon deposits from engine exterior surfaces. Recommended for carburetors and fuel injectors. Works inside and outside the engine.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Power Foam Engine Cleaner &amp; Degreaser</b>						
APF-SC**	(1) 18 Fluid-oz. Can	1.5	2.65	3.85	--	5.15
APF-12**	(12) 18 Fluid-oz. Cans	18.0	31.80	43.80	3.65	60.60



**Engine Flush**

Cleans the crankcase, upper end and other lubricated engine areas for maximum efficiency and performance. Preps engines for installation of AMSOIL synthetic motor oil. Flushing requires one can per 5 quarts of sump capacity.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Engine Flush</b>						
AEF-CN	(1) 16-oz. Bottle	1.1	2.85	4.00	--	5.45
AEF-16	(12) 16-oz. Bottles	13.7	34.20	45.60	3.80	64.20
AEF-05	(1) 5 Gallon Pail	45.0	72.50	90.25	--	117.75



**Propylene Glycol Antifreeze and Engine Coolant**

Super long life fluid - 750,000 miles/7 Years of service in over the road trucks and 250,000 miles/7 Year service life in light truck and auto applications. Compatible with all the major brands of anti-freeze. Essentially nontoxic and biodegradable. Provides superior performance in all climates. Contains special corrosion inhibitors and antifoam agents.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Propylene Glycol Antifreeze and Engine Coolant</b>						
ANT-1G	(1) Gallon Bottle	9.8	6.85	20.20	--	26.35
ANT-04	(04) Gallon Bottles	39.0	27.40	76.80	19.20	103.80
ANT-55	55 Gallon Drum	536.0	354.00	992.00	--	1092.00
G-1165	(6) Antifreeze Test Strips	0.1	--	3.55	--	3.95
G-1164	(50) Antifreeze Test Strips	0.1	--	8.25	--	9.20

Pricing subject to change based on propylene glycol market pricing.

\* Not stocked in all Distribution Centers. Call for availability.



**BriteSide Heavy-Duty Scrub Hand Cleaner**

Formulated for the toughest cleaning jobs. Chemically engineered to cut through grease, oil and dirt without the use of pumice and without the need for rinsing with water.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Heavy-Duty Scrub Hand Cleaner</b>						
BSH-BF	(1) 16-oz. Bottle	1.0	3.85	5.80	--	7.55
BSH-16	(6) 16-oz. Bottles	6.0	23.10	33.00	5.50	44.70
BSH-1G	(1) Gallon Bottle	9.0	13.95	20.95	--	27.35
BSH-04	(4) 1 Gallon Bottles	36.0	55.80	79.80	19.95	107.80
G-1788	(24) 10-ml. Sample Packets	0.1	--	11.25	--	12.50
G-1806	(1) Gallon Bottle Pump	0.2	--	1.75	--	1.95
G-1818	(1) Wall Mount Bracket	0.1	--	9.95	--	11.10



**BriteSide Scrub with Pumice**

Works just like original Scrub when it comes to cleaning - with the added power of pumice. Cuts through grease, oil and dirt. Specially designed container is self-dispensing. Use with or without a water rinse.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Scrub with Pumice</b>						
BHP-TB	(1) 48-oz. Tub	3.0	7.35	11.10	--	14.35
BHP-06	(6) 48-oz. Tubs	18.0	44.10	63.30	10.55	85.50



**BriteSide Vinyl and Leather Cleaner**

Penetrates deeply into vinyl and leather to life out imbedded dirt. No need for heavy scrubbing. Simply spray on, allow a minute or two to penetrate and loosen dirt particles, then wipe off with a damp sponge. Prepares material for conditioning with BriteSide Vinyl and Leather Protectant.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Vinyl and Leather Cleaner</b>						
PFC-BF	(1) 16-oz. Bottle	1.3	4.25	5.75	--	7.60
PFC-16	(6) 16-oz. Bottles	7.6	25.50	32.70	5.45	45.00



**BriteSide Vinyl and Leather Protectant**

Seals and protects vinyl, rubber, plastic and finished wood surfaces. Protects against fading, cracking, drying, deterioration and oxidation caused by exposure to the sun. Provides long-lasting protection.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Vinyl and Leather Protectant</b>						
PFP-BF	(1) 16-oz. Bottle	1.3	5.75	7.50	--	9.70
PFP-16	(6) 16-oz. Bottles	7.6	34.50	42.90	7.15	57.60



**BriteSide Car Polish**

Goes on easy and produces a brilliant mirror-like shine with only hand-buffing. Provides UV protection to prevent paint from fading. Safe for all types of paint, including clearcoat.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Car Polish</b>						
PCP-BF	(1) 16-oz. Bottle	1.3	4.65	6.85	--	9.30
PCP-16	(6) 16-oz. Bottles	7.3	27.90	39.00	6.50	55.20



**BriteSide Metal Polish**

Cleans, polishes and protects chrome, aluminum, brass and stainless steel surfaces. Forms a protective layer that inhibits future rust and oxidation.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide Metal Polish</b>						
PFM-BC	(1) 8-oz. Bottle	0.7	3.00	4.10	--	5.50
PFM-08	(6) 8-oz. Bottles	4.1	18.00	23.40	3.90	32.40



**Rain Clear Windshield Protectant**

Maximize visibility in all kinds of weather. Rain, snow and sleet are repelled off of glass. The wind while driving forces moisture off of the windshield, giving a clear view of the road ahead.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>Rain Clear Windshield Protectant</b>						
ARS-BA	(1) 4-oz. Bottle	0.3	2.90	3.45	--	4.90
ARS-04	(4) 4-oz. Bottles	1.2	11.60	13.80	3.45	19.20
ARS-24	(24) 4-oz. Bottles	7.5	69.60	78.00	3.25	115.20

\* Not stocked in all Distribution Centers. Call for availability.

\*\* Cannot be shipped via air freight or parcel post.



**BriteSide T<sup>6</sup> Cleaning Concentrate**

Revolutionary formula tackles the toughest cleaning jobs at full strength, and can also be diluted for safe use on even the most sensitive materials. Super-concentrated formula can be diluted to perform hundreds of household and commercial tasks. Spray bottles and dilution syringe also available.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Cost Per Unit	Min. Sugg. Retail, ea.
<b>BriteSide T<sup>6</sup> Cleaning Concentrate</b>						
BT6-HG	(1) 64-oz. Bottle	4.7	15.15	15.90	--	22.85
BT6-05	(1) 5-Gallon Pail	40.2	76.80	96.00	--	125.00
BT6-06	(6) 64-oz. Bottles	29.7	90.90	90.90	15.15	136.50
BT6-55	55 Gallon Drum	432.0	509.00	925.00	--	1092.00
G-1782	(1) 24-oz. Spray Bottle	0.1	--	1.50	--	1.70
G-1783	(1) 2-oz. Transfer Syringe	0.1	--	0.80	--	0.90



**Miracle Wash Waterless Wash and Polish Spray**

This unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required. It's simply the fastest way to clean your vehicle.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commission Credits	Dealer Cost, ea.	Min. Sugg. Unit	Retail, ea.
<b>Miracle Wash Waterless Wash and Polish Spray</b>						
AMW-SC**	(1) 13-oz. Spray Can	1.0	6.05	6.35	--	8.50
AMW-06**	(6) 13-oz. Spray Cans	6.0	36.30	36.30	6.05	50.40
AMW-QT	(1) Quart Bottle	2.0	12.00	12.60	--	16.80
AMW-04	(4) Quart Bottles	9.0	48.00	48.00	12.00	66.80

CLEANERS AND PROTECTANTS

\* Not stocked in all Distribution Centers. Call for availability.

\*\* Cannot be shipped via air freight or parcel post.



## Online Ordering Information

### To order product online at [www.amsoil.com](http://www.amsoil.com):

Click on the Dealer Zone link at the top right of the AMSOIL Home Page. Enter your ZO number and your password to enter. If you have not set up a password, click on the "New Registration" link at the bottom of the log-in area. Enter your ZO number and click "Submit" and a link will be emailed to you that allows you to set a password. Once inside the Dealer Zone, you can choose to use the Dealer Orders link which takes you to our EZ Online Order Forms, or choose the Online Store link to browse through products.

## Sales Tax Information

AMSOIL INC. implemented a software package called Vertex in February 2002. When you place an order that is shipped to the mailing address contained in our data base, Vertex charges the tax rate for your location based on the state, city and county of your address. If you have your order shipped to a different address, AMSOIL INC. will charge the highest rate (including state and applicable local rates) for that state to prevent underpayment of taxes in that area.

AMSOIL INC. is registered to collect sales tax in each state where applicable.

For **Dealers**, taxes will automatically calculate based on the suggested retail price. Therefore, if you are a **Dealer** ordering for personal use, you must notify the telephone operator before giving the item number to be ordered. You may place orders that contain items for both resale and personal use. Be sure to tell the operator which items are for personal use as you place each item number in an order.

For all other customers, sales tax will be calculated on the purchase price of the product.

## Tax Rate Determination

The sales tax rates are set in the following manner:

1. If you pick up your order at your Distribution Center, you will be charged the applicable sales tax **at that point of sale**. This is the prevailing tax rate at your Distribution Center.
2. If you have the order **shipped**, sales tax will be charged at the rate applicable to the ship-to address with the **exception** of orders being shipped **within** one of the following states: **Illinois, Ohio, Pennsylvania, Texas and Virginia**. Orders shipped **within the boundaries** of one of these states will be charged the tax rate applicable to the Distribution Center that the product was shipped from.

## Incorrect tax Rates

If you have been charged an incorrect tax rate on your orders that are shipped to the mailing address listed on file with AMSOIL INC., you will need to do the following:

1. Obtain documentation from your local tax authority, referencing the full physical address on file with AMSOIL INC. which states the proper tax rate for your address.
2. Please mail this documentation to the following address:

**AMSOIL INC.**  
**Attention: Sales Tax Department**  
**925 Tower Avenue**  
**Superior, WI 54880**

Please allow time for processing this rate change. Tax rate changes will be verified via a written notice from AMSOIL INC.

Please remember that when you ship to a different address other than the one AMSOIL INC. retains on file, you will be charged the highest rate in the state. To recover the sales tax difference when you resale product in a lower sales tax area, you will need to do the following:

1. To apply for a refund of the unrecovered portion of the sales tax, obtain a "Sales Tax Refund Form". Remit this signed form along with the sales receipt copies from the sale in the lower tax area.
2. You can also deduct unrecovered portions of sales tax on your Federal Income Tax return on Schedule "C".

## Exemption Certificates

If you prefer to pay the sales tax directly to your state revenue department rather than having AMSOIL INC. collect it at the time you purchase the products, contact your state for a Tax Exemption Certificate.

When you obtain this certificate, send a copy of it to AMSOIL INC. along with a signed G-495 Uniform Sales & Use Tax Certificate (available at no charge from AMSOIL INC.). Once we have these certificates on file, your purchases will be tax exempt. Please mail the documentation to the address listed for incorrect tax rates.

Unfortunately, we are not allowed to exempt sales tax payments unless we have copies of these certificates on file, so be sure to send them in before claiming any sales tax exemptions. When we receive your certificates, we will be able to credit you for any sales taxes you have paid as far back as three months or the effective date on your Sales Tax Exemption Certificate if it is less than three months from the day we receive your information.

This procedure is also necessary for any institutions, businesses or government agencies claiming sales tax exemptions.

## Exempt Products or Freight

### Clothing Items are exempt from sales tax in the following states:

Connecticut	- Purchases less than \$75.00 are exempt
Massachusetts	- Purchases less than \$175.00 are exempt
Minnesota	- Total purchase exempt
New Jersey	- Total purchase exempt
New York	- Purchases less than \$110.00 are exempt
Pennsylvania	- Total purchase exempt
Rhode Island	- Total purchase exempt
Vermont	- Purchases less than \$110.00 are exempt

### Vitamins are exempt from sales tax in the following states:

Connecticut	Florida	Maryland	Michigan
New Jersey	New York	Pennsylvania	Texas
Vermont			

### Freight charges, when shipped by common carrier, are exempt from sales tax in the following states:

Alabama	Arizona	California	Idaho
Illinois	Indiana	Iowa	Kentucky
Louisiana	Maine	Maryland	Massachusetts
Michigan	Minnesota	Missouri	New Jersey
North Dakota	Ohio	Oklahoma	Rhode Island
South Carolina	Tennessee	Utah	Vermont
Virginia	Wyoming	District of Columbia	

## Sales Tax Table as of August 1, 2005

The following Sales Taxes are collected by AMSOIL on purchases made by Dealers and Accounts in these states:

<b>Alabama</b> ..... 4%	Maine ..... 5%	Pennsylvania ..... 6%
Arizona ..... 6.3%	Maryland ..... 5%	<b>Rhode Island</b> ..... 7%
Arkansas ..... 10%	Massachusetts ..... 5%	South Carolina ..... 5%
<b>California</b> ..... 8.75%	Michigan ..... 6%	South Dakota ..... 6%
Colorado ..... 4.1%	Minnesota ..... 6.5%	Tennessee ..... 9.75%
<b>Connecticut</b> ..... 6%	Mississippi ..... 7%	<b>Texas</b> ..... 8%
Florida ..... 6.5%	Missouri ..... 7.616%	<b>Utah</b> ..... 7%
Georgia ..... 7%	Nebraska ..... 5.5%	Vermont ..... 6%
<b>Hawaii</b> ..... 4.5%	Nevada ..... 7.5%	Virginia ..... 5%
Idaho ..... 5%	New Jersey ..... 6%	Washington ..... 8.5%
Illinois ..... 8%	New Mexico ..... 5%	Washington D.C. 5.75%
Indiana ..... 6%	New York ..... 8.375%	West Virginia ..... 6%
Iowa ..... 5%	North Carolina ..... 7%	Wisconsin ..... 5.5%
Kansas ..... 6.3%	North Dakota ..... 5%	Wyoming ..... 6%
Kentucky ..... 6%	Ohio ..... 8%	
Louisiana ..... 4%	Oklahoma ..... 10.5%	

### Special Taxes

The following information applies to the states listed above in **bold print** that have excise taxes or other special taxes. Remember to add the excise taxes to the product total before figuring your sales tax. The excise taxes are not exempt from state sales tax.

#### Alabama:

- There is a 4% sales tax charged on air and oil filters, mounting kits, fuel additives, metal protector, power foam and car care products.
- There is a \$0.06 per gallon excise tax charged on shock therapy oil, natural gas engine oil, gear lube, chaincase lubricant, transmission fluid, bar and chain oil, grease, hydraulic oil, chain and gear oil, compressor oil and foam filter oil.
- There is a \$0.06 per gallon excise tax plus a \$0.15 per gallon inspection fee on engine oil, diesel oil and two-cycle oil.

#### California:

- Effective October 1, 1992 there is a \$0.16 per gallon tax on all lubricating oil except differential additives, chaincase lubricant, two-cycle oils, bar and chain oil, grease, hydraulic oil, chain and gear oil and compressor oil.

#### Connecticut:

- Effective February 1, 1997 there is a 5% "Petroleum Tax" on all AMSOIL products except air filters, oil filters, by-pass oil filters, dual-remote oil filtration kits, BP parts, oil analysis kits, antifreeze, car cleaning products and fuel/water separators.

#### Hawaii:

- Accounts or Dealers with a tax exemption must pay 0.5% on product total.
- Accounts or Dealers without a tax exemption must pay 4.5% on product total.

#### Rhode Island:

- There is a \$0.10 per gallon tax on the ANT series.
- There is a \$0.05 per quart tax on the following lubricating oils: engine oil, diesel oil, gear lube, chaincase lubricant, transmission fluid, two-cycle oil, bar and chain oil, hydraulic oil, chain and gear oil and compressor oil.
- There is a \$0.0025 per gallon tax on products that contain organic solvents. These products include: two-cycle oil, gasoline additive, gasoline stabilizer, diesel fuel additive, diesel fuel modifier, series 2000 octane boost, home heating fuel extender, metal protector, silicon spray, power foam and engine flush.

#### Texas:

- There is a \$0.01 per quart tax on automotive oils. This includes: engine oil, diesel oil, gear lubes, transmission fluid and hydraulic/transmission fluid.

#### Utah:

- There is a \$0.04 per quart lubricating oil fee pertaining to all containers except those 55 Gallon or bigger on the following lubricants: engine oil, diesel oil, shock therapy oil, gear lube, hydraulic oil, chain and gear oil and compressor oil.

## Freight and Handling Information

### Freight and Handling Charges

You may order products shipped freight collect OR pre-pay the freight using the following schedule.

<b>U.S. AMSOIL Dealer Freight Rates</b>	
<b>Weight, lbs.</b>	<b>Price</b>
Under 3	\$6.40
3 - 6.9	\$7.20
7 - 13.9	\$7.85
14 - 23.9	\$8.90
24 - 39.9	\$0.36 per lb.
40 - 59.9	\$0.32 per lb.
60 - 99.9	\$0.31 per lb.
100 - 249.9	\$0.29 per lb.
250 - 499.9	\$0.28 per lb.
500 - 1000	\$0.26 per lb.
Over 1000	\$0.25 per lb.

This freight schedule applies on shipments to any point in the contiguous United States on products stocked in Regional Distribution Centers.

Third party billing is allowed. When third party billing is requested, the UPS account number of the third party must be supplied at the time of order placement. Parcel Post shipments to military P. O. Boxes will be charged actual freight charges.

### Residence Delivery Fees

Carriers may charge an additional fee for delivery to a residence. The consignee pays any ADDITIONAL freight charges in these states. Allow a possible 2-3 days more for rural delivery. Some LTL carriers charge a fee when customers request a call before delivery or lift gate service. The consignee pays for this additional service.

### Pick-Up Orders

It is advisable to call a Distribution Center before travelling a great distance to pick up a product. **All orders scheduled for "Pick-Up" must be picked up within 5 days of the date of the order.**

### Routing

You may include specific routing instructions with your order. However, because the pre-paid freight schedule is based on using the most economical method of transportation, the final decision on routing pre-paid freight orders rests with the Distribution Center Manager. If you need a specific routing guarantee, specify that your order be shipped "Freight Collect". However, UPS and Parcel Post shipments **cannot** be shipped "Freight Collect", so actual freight will be charged. We recommend you search for the best rates to your location and specify "Freight Collect" for larger shipments.

### Expediting and Tracing

If you have not received your order in 5 to 7 days (add 2 days in the Southeast and Northwest), contact the Distribution Center from which your order was shipped. Be prepared to furnish the following information:

1. Order date.
2. Ordering Dealer's name and ZO number.
3. Distribution Center Order Form Number (upper right corner).
4. To whom the product was shipped with an address. AMSOIL INC. will notify you of the method of shipment, date of shipment and present location as soon as possible.

## AMSOIL DISTRIBUTION CENTERS

Location	Hours	Phone and FAX #
<b>Anchorage, Alaska</b> 3020 North Glenn Highway Palmer, AK 99645	<b>C</b>	907-745-3542 FAX: 907-746-6265
<b>Chicago, Illinois</b> 831 Central Avenue Wood Dale, IL 60191	<b>A</b>	630-595-8385 FAX: 630-595-4601
<b>Columbus, Ohio</b> 707 Hadley Drive Columbus, OH 43228	<b>A</b>	614-274-9851 FAX: 614-274-9852
<b>Dallas, Texas</b> 2234 Commerce Drive Arlington, TX 76011	<b>A</b>	817-640-9923 FAX: 817-633-5160
<b>Lancaster, Pennsylvania</b> 1828 William Penn Way Lancaster, PA 17601	<b>A</b>	717-396-0403 FAX: 717-396-0419
<b>Las Vegas, Nevada</b> 4545 North Lamb Blvd, Suite C Las Vegas, NV 89115	<b>A</b>	702-644-2060 FAX: 702-644-2228
<b>Orlando, Florida</b> 3071 North Orange Blossom Trail Unit K. Orlando, FL 32804	<b>A</b>	407-296-4060 FAX: 407-296-8020
<b>Portland, Oregon</b> 18379 Southwest Boones Ferry Road Building A. Portland, OR 97224	<b>A</b>	503-620-5213 FAX: 503-968-2878
<b>Richmond Virginia</b> 530 Eastpark Court Suites C & D Sandston, VA 23150	<b>A</b>	804-328-2820 FAX: 804-328-2827
<b>Superior, Wisconsin</b> 1101 Susquehanna Avenue Superior, WI 54880 Toll Free Ordering Hotline-	<b>B</b>	715-395-0437 FAX: 715-395-0432 LITERATURE: 715-395-0439 1-800-777-7094
<b>Wichita Kansas</b> 3800 West 29th Street South Suite #5 Wichita, KS 67217	<b>A</b>	316-943-5858 FAX: 316-943-3842
<b>Hours</b>		
<b>A -</b> Monday, Tuesday, Wednesday, Friday	.....9 am - 5:30 pm	
Thursday	.....Noon - 8:30 pm	
Saturday, Sunday and Statutory Holidays	.....Closed	
<b>B -</b> Monday through Friday	.....8 am - 4:30 pm	
Thursday	.....8 am - 8:30 pm	
Saturday, Sunday and Statutory Holidays	.....Closed	
<b>C -</b> Tuesday through Saturday	.....9 am - 5:30 pm	
Sunday, Monday and Statutory Holidays	.....Closed	

### Shortages

On shipments with shortages, please note the number of pieces short on the delivery receipt and sign it. Then call the delivering carrier's office and report your shortage. If these efforts fail to complete your shipment within 10 days of receipt, contact your AMSOIL Distribution Center and request assistance.

### Overages

On shipments with overages, please note the number of extra pieces on the delivery receipt and sign it. Then, contact your AMSOIL Distribution Center to make further arrangements.

### Limited Distribution

Every Distribution Center does not carry a complete inventory of the products listed on this price list. When there is a substantial repeat order for a product not carried by your Distribution Center, please discuss it with the Distribution Center Manager.

## Claims and Damaged Shipments

(NOTE: Claims must be made within 7 days from the time of receipt)

### Items Picked Up at a Distribution Center

If you pick up an order at any Distribution Center and discover concealed damage when the case is opened at home, return the full case to the same Distribution Center for exchange at your convenience. Your copy of the Distribution Center Order Form (G-29) should accompany such an exchange. The exchange can only be made for exactly the same products.

### Parcel Post Shipments from a Distribution Center

1. Claims for damages by Parcel Post must be filed by the Dealer.
2. Return damaged merchandise and cartons to the local post office when the claim is filed.
3. All claims are returned to the shipper for verification of mailing date and distributor cost of the damaged items.
4. If reimbursement is made to AMSOIL INC. as the shipper, we will replace the shipment to the Dealer at a no-charge basis.
5. You can also accept reimbursement on your claim. If so, you must place a re-order with the AMSOIL Distribution Center for replacement of your damaged products.

**-Please note that some items listed in the Price List cannot be shipped via Parcel Post-**

### United Parcel Service (UPS) Shipments

**Please inspect the shipment before signing for delivery.**

When there is visible damage, refuse to accept delivery. UPS will return the damaged goods to the Distribution Center, and the Distribution Center will re-ship your order. If UPS delivers a package without a signature and you discover damaged goods inside, contact your local UPS office and refuse the shipment due to damage. When there is concealed damage discovered after you accept delivery, contact the Distribution Center for instructions immediately. **NOTE: If you accept delivery of visibly damaged merchandise, you accept all responsibility for filing claims with UPS.**

### Other Shipments (LTL or Common Carrier)

1. When damaged goods are received, have the driver make note of the damage on the delivery receipt before you sign it.
2. Call the carrier's local office and request an inspection of the damaged goods.
3. File a claim with the carrier for the Dealer's cost of the merchandise.
4. Damage claims **must** be filed within 7 days. The sooner you file, the better.
5. Unlike UPS shipments, **you should never refuse a damaged shipment when the products are delivered via a commercial carrier (trucklines).** To do so will cost you freight both ways!

### Back Orders and Invoices

Some orders may require multiple shipments due to products placed on a back order status. Such back ordered items will be shipped separately. This is also true for items that are not stocked at all distribution centers. These items may also be shipped from an alternate distribution center.

In such situations, each shipment will receive a separate invoice and credit card charge. Credit cards will not be charged until items ship. Although separate invoices are issued, totals for freight charges, taxes and discounts are calculated based upon the whole order and will be applied to the first invoice.

Back orders receive priority status and will be shipped as soon as they become available. When items on an order are in back order status and the order is to be picked up at a distribution center, the back ordered items can be shipped to a destination of your choosing at the actual freight charge. Questions regarding the status of back ordered items should be directed to the appropriate distribution center manager.

**Lift Gate Service (LTL or Common Carriers)**

Customers can request lift gate service at the time of ordering if they do not have a method of unloading large orders, 30 and 55 gallon drums or totes. Not all carriers offer this service, so when requesting it please allow additional time for delivery. If lift gate service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because these costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the Distribution Center from where the order is being shipped to obtain these costs.

**Call Before Delivery Requests (LTL or Common Carriers)**

At the time of order, customers can request to be contacted prior to delivery. A daytime phone number must be provided, with instructions to call before delivery. The carrier will contact the customer prior to delivery to set up a delivery time. If this service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the Distribution Center from where the order is being shipped to obtain these costs.

**ANY OTHER REQUESTS FOR SPECIAL SERVICES WILL BE CHARGED TO THE CONSIGNEE AT ACTUAL COSTS.**

**Shipping to APO and FPO Military Post Boxes**

All APO/FPO orders are shipped from the Distribution Center in Superior, WI. The United States Postal Service (USPS) will not accept AMSOIL Fuel Additives or Aerosol containers for shipment. Your order will be charged actual freight costs which will be charged at the time the order is shipped. If you require insurance on your order, please specify so at the time you place your order. These additional charges will be applied at the time of shipping.

**Delays and Special Circumstances when Shipping to APO/FPO Addresses**

Due to the challenging nature of distributing packages to these addresses, delays may be experienced which are beyond the control of AMSOIL INC. We will ship your order with tracking information requested and/or a signature required for delivery.

Delays can be expected from time to time due to airline and customs inspections. AMSOIL will make every attempt to ship and track these orders to our military customers. However, once APO/FPO orders have been tendered for shipment to the USPS, AMSOIL loses control of routing and may or may not be notified of damages or non-deliveries. Customs may refuse and/or destroy shipments **at their discretion**.

AMSOIL CANNOT BE HELD RESPONSIBLE FOR THIS DECISION AND CANNOT REPLACE DESTROYED ORDERS.

**AMSOIL Literature Items for Additional Product Lines**

AMSOIL/BOSCH WIPER PRODUCTS .....	G-1766
AMSOIL/BOSCH WIPER PRICE LIST .....	G-1764
AMSOIL/BOSCH SPARK PLUGS AND WIRES .....	G-1767
AMSOIL/BOSCH SPARK PLUGS AND WIRES PRICE LIST .....	G-1764
AMSOIL/DONALDSON/WIX FILTRATION PRODUCTS .....	G-2092
POWERSPORTS APPLICATION GUIDE .....	G-2135
ALTRUM PRODUCTS CATALOG .....	G-1670
AGGRAND/ALTRUM PRODUCTS PRICE LIST .....	G-326
LITERATURE AND SALES AIDS PRICE LIST .....	G-15

**NOTES**

Area for handwritten notes with horizontal lines.



**Product Return/Exchange Guidelines**

**Dealer Exchange Policy Guidelines**

- Must be currently marketed products in resalable condition.
- Copy of original order must accompany exchange order form.
- Product may be exchanged within 30 days of purchase with no restocking fee. Product exchanged after 30 days is subject to a 20 percent restocking fee.
- Products received in exchange must be of equal or greater value than those returned. Commission credits are not paid on product exchanges.
- No exchanges will involve cash refunds or credits.
- All freight charges are the responsibility of the Dealer.
- Products not eligible for exchange are held for 30 days at the Distribution Center and the Dealer is notified.
- Special order filters and Superior-only items (literature, vitamins, etc.) cannot be exchanged.

**Return Guidelines for Dealers Leaving the Business**

- Must be currently marketed products in resalable condition.
- Dealership should be currently registered and will be deactivated following completion of return.
- Dealer must submit a list of the items to be returned, a copy of the original orders and a request for the return to the Sales Department in Superior, WI.
- Products will be returned to the nearest Distribution Center at the Dealer's expense.
- Upon approval, Dealer will receive a refund of the Dealer cost, less a 20 percent restocking fee.
- Special order filters and Superior-only items (literature, vitamins, etc.) cannot be returned.

**Retail Catalog Customer & Preferred Customer Return/Exchange Policy Guidelines**

- Must be currently marketed products in resalable condition.
- All products in resalable condition can be returned within 30 days for a full refund of the purchase price and sales tax.
- Products purchased over 30 days, but less than 90 days, may be exchanged for other product of equal or greater value, less a 20 percent restocking fee.
- Customers wishing to return products after 30 days or to exchange products after 90 days will be advised to contact their Dealer for assistance.
- Shipping and handling fees are the customer's responsibility.
- Special order items cannot be exchanged or returned.

**Commercial/Retail Account Return/Exchange Guidelines**

**Products for Return**

- Must be currently marketed products in resalable condition.
- Product may be returned for a full refund if returned within 30 days of purchase with no restocking fee. Product returned after 30 days is subject to a 20 percent restocking fee.
- Products will be returned to the nearest Distribution Center at the Account's expense, along with a copy of the original order.
- Special order items cannot be returned.
- All product returns result in an adjustment to earnings for the Servicing Dealer,

**Products for Exchange**

- Must be currently marketed products in resalable condition.
- Products received in exchange must be of equal or greater value than those returned (no commission credits or cash commissions are paid on product exchanges).
- Product exchanged after 30 days is subject to a 20 percent restocking fee.
- Products to be exchanged will be returned to the nearest Distribution Center at the Account's expense, along with a copy of the original order.
- Special order items cannot be returned.

**Products Returned for Credit**

- Must be currently marketed products in resalable condition.
- Returns for credit must be arranged through the Sales Department in Superior.
- Products returned for credit within 30 days of purchase will receive full credit for product and taxes (no credit will be issued for freight charges).
- Products returned after 30 days will be subject to a 20 percent restocking fee payable by the account (no credit will be issued for freight charges).

